

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU012125\
 Data File : VU062943.D
 Acq On : 21 Jan 2025 15:46
 Operator : MD/SY
 Sample : Q1086-14DL 100X
 Misc : 25mL/MSVOA_U/WATER
 ALS Vial : 13 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 C0AF5DL

Quant Time: Jan 22 02:23:54 2025
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMUTR010225WMA.M
 Quant Title : TRACE VOA SFAM1.0
 QLast Update : Wed Jan 22 02:20:07 2025
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) 1,4-Difluorobenzene	6.239	114	90259	5.000	ug/L	0.00
28) Chlorobenzene-d5	9.406	117	71211	5.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	11.804	152	33793	5.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	1.596	65	17209	3.443	ug/L	0.00
Spiked Amount	5.000	Range	40 - 130	Recovery	=	68.800%
7) Chloroethane-d5	1.904	69	13073	3.251	ug/L	0.00
Spiked Amount	5.000	Range	65 - 130	Recovery	=	65.000%
11) 1,1-Dichloroethene-d2	2.560	65	6936	2.678	ug/L	0.00
Spiked Amount	5.000	Range	60 - 125	Recovery	=	53.600%#
20) 2-Butanone-d5	4.605	46	48038	47.019	ug/L	0.00
Spiked Amount	50.000	Range	40 - 130	Recovery	=	94.040%
24) Chloroform-d	5.046	84	48928	3.978	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	79.600%
26) 1,2-Dichloroethane-d4	5.689	65	32718	4.904	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	98.000%
32) Benzene-d6	5.714	84	87096	5.003	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	100.000%
36) 1,2-Dichloropropane-d6	6.676	67	20892	4.329	ug/L	0.00
Spiked Amount	5.000	Range	60 - 140	Recovery	=	86.600%
41) Toluene-d8	7.888	98	61426	3.622	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	72.400%
43) trans-1,3-Dichloroprop...	8.171	79	10549	4.385	ug/L	0.00
Spiked Amount	5.000	Range	55 - 130	Recovery	=	87.600%
46) 2-Hexanone-d5	8.621	63	33500	44.275	ug/L	0.00
Spiked Amount	50.000	Range	45 - 130	Recovery	=	88.540%
56) 1,1,2,2-Tetrachloroeth...	10.743	84	20092	4.971	ug/L	0.00
Spiked Amount	5.000	Range	65 - 120	Recovery	=	99.400%
66) 1,2-Dichlorobenzene-d4	12.184	152	29351	5.221	ug/L	0.00
Spiked Amount	5.000	Range	80 - 120	Recovery	=	104.400%
Target Compounds					Qvalue	
29) 1,1,1-Trichloroethane	5.303	97	67360	6.236	ug/L	98


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU012125\
Data File : VU062943.D
Acq On : 21 Jan 2025 15:46
Operator : MD/SY
Sample : Q1086-14DL 100X
Misc : 25mL/MSVOA_U/WATER
ALS Vial : 13 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
C0AF5DL


Quant Time: Jan 22 02:23:54 2025
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMUTR010225WMA.M
Quant Title : TRACE VOA SFAM1.0
QLast Update : Wed Jan 22 02:20:07 2025
Response via : Initial Calibration





1,1,1-Trichloroethane
 Concen: 6.236 ug/L
 RT: 5.303 min Scan# 12
 Delta R.T. 0.000 min
 Lab File: VU062943.D
 Acq: 21 Jan 2025 15:46

Instrument :
 MSVOA_U
 ClientSampleId :
 C0AF5DL



Tgt Ion:	97	Resp:	67360
Ion	Ratio	Lower	Upper
97	100		
99	63.6	52.4	78.6
61	39.1	32.2	48.4

