

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU012324\
 Data File : VU057575.D
 Acq On : 23 Jan 2024 18:20
 Operator : MD/SY
 Sample : P1228-03
 Misc : 25.0mL/MSVOA_U/WATER
 ALS Vial : 15 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 C0B97

Quant Time: Jan 24 01:07:52 2024
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMUTR012324WMA.M
 Quant Title : TRACE VOA SFAM1.0
 QLast Update : Wed Jan 24 00:56:55 2024
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	6.245	114	64957	5.000	ug/L	0.00
28) Chlorobenzene-d5	9.412	117	59580	5.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	11.807	152	28435	5.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	1.599	65	18544	5.181	ug/L	0.00
Spiked Amount	5.000	Range	40 - 130	Recovery	=	103.600%
7) Chloroethane-d5	1.914	69	14982	4.996	ug/L	0.00
Spiked Amount	5.000	Range	65 - 130	Recovery	=	100.000%
11) 1,1-Dichloroethene-d2	2.563	65	8727	5.186	ug/L	0.00
Spiked Amount	5.000	Range	60 - 125	Recovery	=	103.800%
20) 2-Butanone-d5	4.644	46	38680	57.290	ug/L	0.00
Spiked Amount	50.000	Range	40 - 130	Recovery	=	114.580%
24) Chloroform-d	5.055	84	36823	5.069	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	101.400%
26) 1,2-Dichloroethane-d4	5.695	65	18496	5.603	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	112.000%
32) Benzene-d6	5.721	84	76008	5.439	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	108.800%
36) 1,2-Dichloropropane-d6	6.685	67	22665	5.377	ug/L	0.00
Spiked Amount	5.000	Range	60 - 140	Recovery	=	107.600%
41) Toluene-d8	7.894	98	70383	5.305	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	106.200%
43) trans-1,3-Dichloroprop...	8.177	79	9002	5.358	ug/L	0.00
Spiked Amount	5.000	Range	55 - 130	Recovery	=	107.200%
46) 2-Hexanone-d5	8.631	63	28789	53.709	ug/L	0.00
Spiked Amount	50.000	Range	45 - 130	Recovery	=	107.420%
56) 1,1,2,2-Tetrachloroeth...	10.750	84	15115	5.349	ug/L	0.00
Spiked Amount	5.000	Range	65 - 120	Recovery	=	107.000%
66) 1,2-Dichlorobenzene-d4	12.187	152	22039	5.523	ug/L	0.00
Spiked Amount	5.000	Range	80 - 120	Recovery	=	110.400%
Target Compounds						
					Qvalue	
47) Tetrachloroethene	8.547	164	276067	66.682	ug/L	99

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU012324\
Data File : VU057575.D
Acq On : 23 Jan 2024 18:20
Operator : MD/SY
Sample : P1228-03
Misc : 25.0mL/MSVOA_U/WATER
ALS Vial : 15 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
C0B97

Quant Time: Jan 24 01:07:52 2024
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMUTR012324WMA.M
Quant Title : TRACE VOA SFAM1.0
QLast Update : Wed Jan 24 00:56:55 2024
Response via : Initial Calibration

