

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU012324\
 Data File : VU057581.D
 Acq On : 23 Jan 2024 20:45
 Operator : MD/SY
 Sample : P1228-09
 Misc : 25.0mL/MSVOA_U/WATER
 ALS Vial : 21 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 C0BC7

Quant Time: Jan 24 01:09:16 2024
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMUTR012324WMA.M
 Quant Title : TRACE VOA SFAM1.0
 QLast Update : Wed Jan 24 00:56:55 2024
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	6.245	114	65718	5.000	ug/L	0.00
28) Chlorobenzene-d5	9.412	117	60769	5.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	11.807	152	28226	5.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	1.599	65	18423	5.088	ug/L	0.00
Spiked Amount	5.000	Range	40 - 130	Recovery	=	101.800%
7) Chloroethane-d5	1.914	69	14938	4.924	ug/L	0.00
Spiked Amount	5.000	Range	65 - 130	Recovery	=	98.400%
11) 1,1-Dichloroethene-d2	2.563	65	8493	4.988	ug/L	0.00
Spiked Amount	5.000	Range	60 - 125	Recovery	=	99.800%
20) 2-Butanone-d5	4.640	46	35372	51.784	ug/L	0.00
Spiked Amount	50.000	Range	40 - 130	Recovery	=	103.560%
24) Chloroform-d	5.055	84	36379	4.950	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	99.000%
26) 1,2-Dichloroethane-d4	5.695	65	17605	5.271	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	105.400%
32) Benzene-d6	5.721	84	73500	5.156	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	103.200%
36) 1,2-Dichloropropane-d6	6.685	67	22076	5.135	ug/L	0.00
Spiked Amount	5.000	Range	60 - 140	Recovery	=	102.600%
41) Toluene-d8	7.894	98	68749	5.081	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	101.600%
43) trans-1,3-Dichloroprop...	8.177	79	8510	4.966	ug/L	0.00
Spiked Amount	5.000	Range	55 - 130	Recovery	=	99.400%
46) 2-Hexanone-d5	8.631	63	26575	48.608	ug/L	0.00
Spiked Amount	50.000	Range	45 - 130	Recovery	=	97.220%
56) 1,1,2,2-Tetrachloroeth...	10.750	84	13913	4.828	ug/L	0.00
Spiked Amount	5.000	Range	65 - 120	Recovery	=	96.600%
66) 1,2-Dichlorobenzene-d4	12.187	152	21445	5.414	ug/L	0.00
Spiked Amount	5.000	Range	80 - 120	Recovery	=	108.200%
Target Compounds						Qvalue
47) Tetrachloroethene	8.550	164	4450	1.054	ug/L	97

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU012324\
Data File : VU057581.D
Acq On : 23 Jan 2024 20:45
Operator : MD/SY
Sample : P1228-09
Misc : 25.0mL/MSVOA_U/WATER
ALS Vial : 21 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
C0BC7

Quant Time: Jan 24 01:09:16 2024
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMUTR012324WMA.M
Quant Title : TRACE VOA SFAM1.0
QLast Update : Wed Jan 24 00:56:55 2024
Response via : Initial Calibration

