

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU012324\
 Data File : VU057583.D
 Acq On : 23 Jan 2024 21:33
 Operator : MD/SY
 Sample : P1228-11
 Misc : 25.0mL/MSVOA_U/WATER
 ALS Vial : 23 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 C0B98

Quant Time: Jan 24 01:09:40 2024
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMUTR012324WMA.M
 Quant Title : TRACE VOA SFAM1.0
 QLast Update : Wed Jan 24 00:56:55 2024
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	6.245	114	63826	5.000	ug/L	0.00
28) Chlorobenzene-d5	9.412	117	59122	5.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	11.807	152	27813	5.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	1.599	65	17442	4.960	ug/L	0.00
Spiked Amount	5.000	Range	40 - 130	Recovery	=	99.200%
7) Chloroethane-d5	1.914	69	14668	4.978	ug/L	0.00
Spiked Amount	5.000	Range	65 - 130	Recovery	=	99.600%
11) 1,1-Dichloroethene-d2	2.566	65	8310	5.026	ug/L	0.00
Spiked Amount	5.000	Range	60 - 125	Recovery	=	100.600%
20) 2-Butanone-d5	4.640	46	35077	52.874	ug/L	0.00
Spiked Amount	50.000	Range	40 - 130	Recovery	=	105.740%
24) Chloroform-d	5.058	84	35806	5.016	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	100.400%
26) 1,2-Dichloroethane-d4	5.698	65	17272	5.325	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	106.400%
32) Benzene-d6	5.721	84	71767	5.175	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	103.400%
36) 1,2-Dichloropropane-d6	6.685	67	21685	5.184	ug/L	0.00
Spiked Amount	5.000	Range	60 - 140	Recovery	=	103.600%
41) Toluene-d8	7.894	98	67426	5.122	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	102.400%
43) trans-1,3-Dichloroprop...	8.177	79	8320	4.991	ug/L	0.00
Spiked Amount	5.000	Range	55 - 130	Recovery	=	99.800%
46) 2-Hexanone-d5	8.630	63	26217	49.289	ug/L	0.00
Spiked Amount	50.000	Range	45 - 130	Recovery	=	98.580%
56) 1,1,2,2-Tetrachloroeth...	10.749	84	13747	4.903	ug/L	0.00
Spiked Amount	5.000	Range	65 - 120	Recovery	=	98.000%
66) 1,2-Dichlorobenzene-d4	12.187	152	20718	5.308	ug/L	0.00
Spiked Amount	5.000	Range	80 - 120	Recovery	=	106.200%
Target Compounds						Qvalue
47) Tetrachloroethene	8.550	164	2775	0.675	ug/L	96

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU012324\
Data File : VU057583.D
Acq On : 23 Jan 2024 21:33
Operator : MD/SY
Sample : P1228-11
Misc : 25.0mL/MSVOA_U/WATER
ALS Vial : 23 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
C0B98

Quant Time: Jan 24 01:09:40 2024
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMUTR012324WMA.M
Quant Title : TRACE VOA SFAM1.0
QLast Update : Wed Jan 24 00:56:55 2024
Response via : Initial Calibration

