

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU012425\
 Data File : VU062994.D
 Acq On : 24 Jan 2025 15:38
 Operator : MD/SY
 Sample : Q1174-06
 Misc : 25mL/MSVOA_U/WATER
 ALS Vial : 14 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 E2936

Quant Time: Jan 24 19:06:48 2025
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMUTR010225WMA.M
 Quant Title : TRACE VOA SFAM1.0
 QLast Update : Fri Jan 24 19:02:27 2025
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	6.239	114	84043	5.000	ug/L	0.00
28) Chlorobenzene-d5	9.409	117	83586	5.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	11.804	152	35428	5.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	1.596	65	32176	6.913	ug/L	0.00
Spiked Amount	5.000	Range	40 - 130	Recovery	=	138.200%#
7) Chloroethane-d5	1.904	69	17764	4.744	ug/L	0.00
Spiked Amount	5.000	Range	65 - 130	Recovery	=	94.800%
11) 1,1-Dichloroethene-d2	2.557	65	11731	4.865	ug/L	0.00
Spiked Amount	5.000	Range	60 - 125	Recovery	=	97.200%
20) 2-Butanone-d5	4.605	46	51810	54.461	ug/L	0.00
Spiked Amount	50.000	Range	40 - 130	Recovery	=	108.920%
24) Chloroform-d	5.049	84	55718	4.865	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	97.400%
26) 1,2-Dichloroethane-d4	5.689	65	29514	4.751	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	95.000%
32) Benzene-d6	5.714	84	87432	4.279	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	85.600%
36) 1,2-Dichloropropane-d6	6.676	67	28566	5.043	ug/L	0.00
Spiked Amount	5.000	Range	60 - 140	Recovery	=	100.800%
41) Toluene-d8	7.888	98	73042	3.669	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	73.400%
43) trans-1,3-Dichloroprop...	8.171	79	10945	3.876	ug/L	0.00
Spiked Amount	5.000	Range	55 - 130	Recovery	=	77.600%
46) 2-Hexanone-d5	8.621	63	32206	36.263	ug/L	0.00
Spiked Amount	50.000	Range	45 - 130	Recovery	=	72.520%
56) 1,1,2,2-Tetrachloroeth...	10.746	84	29410	6.199	ug/L	0.00
Spiked Amount	5.000	Range	65 - 120	Recovery	=	124.000%#
66) 1,2-Dichlorobenzene-d4	12.184	152	31623	5.365	ug/L	0.00
Spiked Amount	5.000	Range	80 - 120	Recovery	=	107.400%

Target Compounds Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU012425\
Data File : VU062994.D
Acq On : 24 Jan 2025 15:38
Operator : MD/SY
Sample : Q1174-06
Misc : 25mL/MSVOA_U/WATER
ALS Vial : 14 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
E2936

Quant Time: Jan 24 19:06:48 2025
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMUTR010225WMA.M
Quant Title : TRACE VOA SFAM1.0
QLast Update : Fri Jan 24 19:02:27 2025
Response via : Initial Calibration

