

Data File : VU029286.D
Acq On : 25 Jan 2019 13:38
Operator : JC/SP
Sample : K1246-04
Misc : 25.0mL/MSVOA_U/WATER
ALS Vial : 10 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
C0JJ5

Quant Time: Jan 28 02:33:26 2019
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMUTR012519WMA.M
Quant Title : TRACE VOA SOM01.0
QLast Update : Mon Jan 28 02:17:15 2019
Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	5.88	114	63726	5.00	ug/L	0.00
28) Chlorobenzene-d5	9.09	117	64484	5.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.48	152	29960	5.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.40	65	29943	4.96	ug/L	0.00
Spiked Amount	5.000	Range	40 - 130	Recovery	=	99.20%
7) Chloroethane-d5	1.68	69	22976	5.16	ug/L	0.00
Spiked Amount	5.000	Range	65 - 130	Recovery	=	103.20%
11) 1,1-Dichloroethene-d2	2.27	63	40558	3.79	ug/L	0.00
Spiked Amount	5.000	Range	60 - 125	Recovery	=	75.80%
20) 2-Butanone-d5	4.21	46	69375	55.76	ug/L	0.01
Spiked Amount	50.000	Range	40 - 130	Recovery	=	111.52%
24) Chloroform-d	4.64	84	50276	5.07	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	101.40%
26) 1,2-Dichloroethane-d4	5.31	65	29096	5.31	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	106.20%
32) Benzene-d6	5.34	84	94234	5.16	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	103.20%
36) 1,2-Dichloropropane-d6	6.33	67	29965	5.45	ug/L	0.00
Spiked Amount	5.000	Range	60 - 140	Recovery	=	109.00%
41) Toluene-d8	7.56	98	83716	4.89	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	97.80%
43) trans-1,3-Dichloropropene-	7.85	79	12900	5.27	ug/L	0.00
Spiked Amount	5.000	Range	55 - 130	Recovery	=	105.40%
46) 2-Hexanone-d5	8.31	63	63264	56.18	ug/L	0.00
Spiked Amount	50.000	Range	45 - 130	Recovery	=	112.36%
57) 1,1,2,2-Tetrachloroethane-	10.43	84	25069	5.15	ug/L	0.00
Spiked Amount	5.000	Range	65 - 120	Recovery	=	103.00%
64) 1,2-Dichlorobenzene-d4	11.86	152	33510	5.65	ug/L	0.00
Spiked Amount	5.000	Range	80 - 120	Recovery	=	113.00%

Target Compounds					Qvalue
42) Toluene	7.64	91	6563	0.302 ug/L	97

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data File : VU029286.D
Acq On : 25 Jan 2019 13:38
Operator : JC/SP
Sample : K1246-04
Misc : 25.0mL/MSVOA_U/WATER
ALS Vial : 10 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
C0JJ5

Quant Time: Jan 28 02:33:26 2019
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMUTR012519WMA.M
Quant Title : TRACE VOA SOM01.0
QLast Update : Mon Jan 28 02:17:15 2019
Response via : Initial Calibration

