

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU012624\
 Data File : VU057682.D
 Acq On : 26 Jan 2024 10:59
 Operator : MD/SY
 Sample : P1227-09DL 40X
 Misc : 25.0mL/MSVOA_U/WATER
 ALS Vial : 6 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 C0B85DL

Quant Time: Jan 29 00:28:03 2024
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMUTR012324WMA.M
 Quant Title : TRACE VOA SFAM1.0
 QLast Update : Mon Jan 29 00:26:20 2024
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	6.245	114	66114	5.000	ug/L	0.00
28) Chlorobenzene-d5	9.412	117	59107	5.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	11.807	152	25868	5.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	1.595	65	11947	3.280	ug/L	0.00
Spiked Amount	5.000	Range 40 - 130	Recovery	=	65.600%	
7) Chloroethane-d5	1.911	69	11557	3.786	ug/L	0.00
Spiked Amount	5.000	Range 65 - 130	Recovery	=	75.800%	
11) 1,1-Dichloroethene-d2	2.560	65	6096	3.559	ug/L	0.00
Spiked Amount	5.000	Range 60 - 125	Recovery	=	71.200%	
20) 2-Butanone-d5	4.631	46	35150	51.150	ug/L	0.00
Spiked Amount	50.000	Range 40 - 130	Recovery	=	102.300%	
24) Chloroform-d	5.058	84	31111	4.208	ug/L	0.00
Spiked Amount	5.000	Range 70 - 125	Recovery	=	84.200%	
26) 1,2-Dichloroethane-d4	5.695	65	15485	4.609	ug/L	0.00
Spiked Amount	5.000	Range 70 - 130	Recovery	=	92.200%	
32) Benzene-d6	5.721	84	58148	4.194	ug/L	0.00
Spiked Amount	5.000	Range 70 - 125	Recovery	=	83.800%	
36) 1,2-Dichloropropane-d6	6.685	67	18912	4.522	ug/L	0.00
Spiked Amount	5.000	Range 60 - 140	Recovery	=	90.400%	
41) Toluene-d8	7.894	98	52494	3.989	ug/L	0.00
Spiked Amount	5.000	Range 70 - 130	Recovery	=	79.800%	
43) trans-1,3-Dichloroprop...	8.177	79	6520	3.912	ug/L	0.00
Spiked Amount	5.000	Range 55 - 130	Recovery	=	78.200%	
46) 2-Hexanone-d5	8.631	63	28245	53.115	ug/L	0.00
Spiked Amount	50.000	Range 45 - 130	Recovery	=	106.240%	
56) 1,1,2,2-Tetrachloroeth...	10.753	84	13352	4.763	ug/L	0.00
Spiked Amount	5.000	Range 65 - 120	Recovery	=	95.200%	
66) 1,2-Dichlorobenzene-d4	12.190	152	17246	4.751	ug/L	0.00
Spiked Amount	5.000	Range 80 - 120	Recovery	=	95.000%	
Target Compounds						Qvalue
47) Tetrachloroethene	8.547	164	25752	6.270	ug/L	99

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU012624\
Data File : VU057682.D
Acq On : 26 Jan 2024 10:59
Operator : MD/SY
Sample : P1227-09DL 40X
Misc : 25.0mL/MSVOA_U/WATER
ALS Vial : 6 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
C0B85DL

Quant Time: Jan 29 00:28:03 2024
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMUTR012324WMA.M
Quant Title : TRACE VOA SFAM1.0
QLast Update : Mon Jan 29 00:26:20 2024
Response via : Initial Calibration

