

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU012624\
 Data File : VU057683.D
 Acq On : 26 Jan 2024 11:24
 Operator : MD/SY
 Sample : P1227-10DL 40X
 Misc : 25.0mL/MSVOA_U/WATER
 ALS Vial : 7 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 C0B86DL

Quant Time: Jan 29 00:28:18 2024
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMUTR012324WMA.M
 Quant Title : TRACE VOA SFAM1.0
 QLast Update : Mon Jan 29 00:26:20 2024
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	6.245	114	59510	5.000	ug/L	0.00
28) Chlorobenzene-d5	9.412	117	53400	5.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	11.807	152	23835	5.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	1.596	65	11343	3.459	ug/L	0.00
Spiked Amount	5.000	Range 40 - 130	Recovery	=	69.200%	
7) Chloroethane-d5	1.911	69	11099	4.040	ug/L	0.00
Spiked Amount	5.000	Range 65 - 130	Recovery	=	80.800%	
11) 1,1-Dichloroethene-d2	2.560	65	5429	3.521	ug/L	0.00
Spiked Amount	5.000	Range 60 - 125	Recovery	=	70.400%	
20) 2-Butanone-d5	4.634	46	33890	54.790	ug/L	0.00
Spiked Amount	50.000	Range 40 - 130	Recovery	=	109.580%	
24) Chloroform-d	5.055	84	29422	4.421	ug/L	0.00
Spiked Amount	5.000	Range 70 - 125	Recovery	=	88.400%	
26) 1,2-Dichloroethane-d4	5.695	65	15071	4.983	ug/L	0.00
Spiked Amount	5.000	Range 70 - 130	Recovery	=	99.600%	
32) Benzene-d6	5.721	84	54628	4.361	ug/L	0.00
Spiked Amount	5.000	Range 70 - 125	Recovery	=	87.200%	
36) 1,2-Dichloropropane-d6	6.685	67	17898	4.737	ug/L	0.00
Spiked Amount	5.000	Range 60 - 140	Recovery	=	94.800%	
41) Toluene-d8	7.894	98	48078	4.043	ug/L	0.00
Spiked Amount	5.000	Range 70 - 130	Recovery	=	80.800%	
43) trans-1,3-Dichloroprop...	8.177	79	6235	4.141	ug/L	0.00
Spiked Amount	5.000	Range 55 - 130	Recovery	=	82.800%	
46) 2-Hexanone-d5	8.634	63	28989	60.341	ug/L	0.00
Spiked Amount	50.000	Range 45 - 130	Recovery	=	120.680%	
56) 1,1,2,2-Tetrachloroeth...	10.753	84	13462	5.316	ug/L	0.00
Spiked Amount	5.000	Range 65 - 120	Recovery	=	106.400%	
66) 1,2-Dichlorobenzene-d4	12.190	152	16521	4.939	ug/L	0.00
Spiked Amount	5.000	Range 80 - 120	Recovery	=	98.800%	
Target Compounds						
					Qvalue	
47) Tetrachloroethene	8.547	164	13628	3.673	ug/L	98

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU012624\
Data File : VU057683.D
Acq On : 26 Jan 2024 11:24
Operator : MD/SY
Sample : P1227-10DL 40X
Misc : 25.0mL/MSVOA_U/WATER
ALS Vial : 7 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
C0B86DL

Quant Time: Jan 29 00:28:18 2024
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMUTR012324WMA.M
Quant Title : TRACE VOA SFAM1.0
QLast Update : Mon Jan 29 00:26:20 2024
Response via : Initial Calibration

