

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU012624\
 Data File : VU057685.D
 Acq On : 26 Jan 2024 12:13
 Operator : MD/SY
 Sample : P1227-08DL 1000X
 Misc : 25.0mL/MSVOA_U/WATER
 ALS Vial : 9 Sample Multiplier: 1

Instrument :
 MSVOA_U
ClientSampleId :
 C0B84DL

Quant Time: Jan 29 00:28:44 2024
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMUTR012324WMA.M
 Quant Title : TRACE VOA SFAM1.0
 QLast Update : Mon Jan 29 00:26:20 2024
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	6.245	114	51358	5.000	ug/L	0.00
28) Chlorobenzene-d5	9.415	117	43878	5.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	11.811	152	18501	5.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	1.595	65	10313	3.645	ug/L	0.00
Spiked Amount	5.000	Range 40 - 130	Recovery	=	72.800%	
7) Chloroethane-d5	1.911	69	9897	4.174	ug/L	0.00
Spiked Amount	5.000	Range 65 - 130	Recovery	=	83.400%	
11) 1,1-Dichloroethene-d2	2.560	65	4793	3.602	ug/L	0.00
Spiked Amount	5.000	Range 60 - 125	Recovery	=	72.000%	
20) 2-Butanone-d5	4.631	46	33159	62.117	ug/L	0.00
Spiked Amount	50.000	Range 40 - 130	Recovery	=	124.240%	
24) Chloroform-d	5.058	84	26377	4.592	ug/L	0.00
Spiked Amount	5.000	Range 70 - 125	Recovery	=	91.800%	
26) 1,2-Dichloroethane-d4	5.698	65	14334	5.492	ug/L	0.00
Spiked Amount	5.000	Range 70 - 130	Recovery	=	109.800%	
32) Benzene-d6	5.721	84	47942	4.658	ug/L	0.00
Spiked Amount	5.000	Range 70 - 125	Recovery	=	93.200%	
36) 1,2-Dichloropropane-d6	6.685	67	16735	5.391	ug/L	0.00
Spiked Amount	5.000	Range 60 - 140	Recovery	=	107.800%	
41) Toluene-d8	7.894	98	39853	4.079	ug/L	0.00
Spiked Amount	5.000	Range 70 - 130	Recovery	=	81.600%	
43) trans-1,3-Dichloroprop...	8.177	79	5761	4.656	ug/L	0.00
Spiked Amount	5.000	Range 55 - 130	Recovery	=	93.200%	
46) 2-Hexanone-d5	8.631	63	25901	65.613	ug/L	0.00
Spiked Amount	50.000	Range 45 - 130	Recovery	=	131.220%#	
56) 1,1,2,2-Tetrachloroeth...	10.753	84	11917	5.727	ug/L	0.00
Spiked Amount	5.000	Range 65 - 120	Recovery	=	114.600%	
66) 1,2-Dichlorobenzene-d4	12.190	152	13311	5.127	ug/L	0.00
Spiked Amount	5.000	Range 80 - 120	Recovery	=	102.600%	

Target Compounds						Qvalue
47) Tetrachloroethene	8.550	164	17201	5.642	ug/L	99

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU012624\
 Data File : VU057685.D
 Acq On : 26 Jan 2024 12:13
 Operator : MD/SY
 Sample : P1227-08DL 1000X
 Misc : 25.0mL/MSVOA_U/WATER
 ALS Vial : 9 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 C0B84DL

Quant Time: Jan 29 00:28:44 2024
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMUTR012324WMA.M
 Quant Title : TRACE VOA SFAM1.0
 QLast Update : Mon Jan 29 00:26:20 2024
 Response via : Initial Calibration

