

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU012624\
 Data File : VU057696.D
 Acq On : 26 Jan 2024 16:42
 Operator : MD/SY
 Sample : P1229-24 10X
 Misc : 25.0mL/MSVOA_U/WATER
 ALS Vial : 20 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 C0BA9

Quant Time: Jan 29 00:31:14 2024
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMUTR012324WMA.M
 Quant Title : TRACE VOA SFAM1.0
 QLast Update : Mon Jan 29 00:26:20 2024
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	6.245	114	73531	5.000	ug/L	0.00
28) Chlorobenzene-d5	9.415	117	66845	5.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	11.807	152	30011	5.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	1.596	65	10894	2.689	ug/L	0.00
Spiked Amount	5.000	Range	40 - 130	Recovery	=	53.800%
7) Chloroethane-d5	1.911	69	10431	3.073	ug/L	0.00
Spiked Amount	5.000	Range	65 - 130	Recovery	=	61.400%#
11) 1,1-Dichloroethene-d2	2.560	65	5753	3.020	ug/L	0.00
Spiked Amount	5.000	Range	60 - 125	Recovery	=	60.400%
20) 2-Butanone-d5	4.631	46	30696	40.163	ug/L	0.00
Spiked Amount	50.000	Range	40 - 130	Recovery	=	80.320%
24) Chloroform-d	5.059	84	28618	3.480	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	69.600%#
26) 1,2-Dichloroethane-d4	5.698	65	14395	3.852	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	77.000%
32) Benzene-d6	5.721	84	54583	3.481	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	69.600%#
36) 1,2-Dichloropropane-d6	6.685	67	17635	3.729	ug/L	0.00
Spiked Amount	5.000	Range	60 - 140	Recovery	=	74.600%
41) Toluene-d8	7.894	98	50196	3.372	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	67.400%#
43) trans-1,3-Dichloroprop...	8.177	79	6282	3.333	ug/L	0.00
Spiked Amount	5.000	Range	55 - 130	Recovery	=	66.600%
46) 2-Hexanone-d5	8.631	63	24459	40.671	ug/L	0.00
Spiked Amount	50.000	Range	45 - 130	Recovery	=	81.340%
56) 1,1,2,2-Tetrachloroeth...	10.753	84	12068	3.807	ug/L	0.00
Spiked Amount	5.000	Range	65 - 120	Recovery	=	76.200%
66) 1,2-Dichlorobenzene-d4	12.190	152	16296	3.869	ug/L	0.00
Spiked Amount	5.000	Range	80 - 120	Recovery	=	77.400%#
Target Compounds						
					Qvalue	
47) Tetrachloroethene	8.547	164	34742	7.480	ug/L	98

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU012624\
Data File : VU057696.D
Acq On : 26 Jan 2024 16:42
Operator : MD/SY
Sample : P1229-24 10X
Misc : 25.0mL/MSVOA_U/WATER
ALS Vial : 20 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
C0BA9

Quant Time: Jan 29 00:31:14 2024
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMUTR012324WMA.M
Quant Title : TRACE VOA SFAM1.0
QLast Update : Mon Jan 29 00:26:20 2024
Response via : Initial Calibration

