

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU012920\
 Data File : VU036600.D
 Acq On : 29 Jan 2020 18:09
 Operator : JC/MD
 Sample : L1271-11
 Misc : 5.00µ/5.0mL/100µL/5.0mL/MSVOA_U/MEOH
 ALS Vial : 20 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 GAT02

Quant Time: Jan 30 04:48:18 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM012920WMA.M
 Quant Title : VOC Analysis
 QLast Update : Thu Jan 30 02:48:11 2020
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	6.29	114	311218	50.00	ug/L	0.00
28) Chlorobenzene-d5	9.45	117	303858	50.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.83	152	168627	50.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.61	65	88858	38.12	ug/L	0.00
Spiked Amount	50.000	Range	60 - 135	Recovery	=	76.24%
7) Chloroethane-d5	1.89	69	21262	10.63	ug/L	-0.04
Spiked Amount	50.000	Range	70 - 130	Recovery	=	21.26%#
11) 1,1-Dichloroethene-d2	2.57	63	116029	30.78	ug/L	-0.03
Spiked Amount	50.000	Range	60 - 125	Recovery	=	61.56%
21) 2-Butanone-d5	4.68	46	126082	91.12	ug/L	0.00
Spiked Amount	100.000	Range	40 - 130	Recovery	=	91.12%
24) Chloroform-d	5.11	84	156781	41.07	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	82.14%
26) 1,2-Dichloroethane-d4	5.74	65	101484	42.65	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	85.30%
32) Benzene-d6	5.76	84	363098	42.48	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	84.96%
36) 1,2-Dichloropropane-d6	6.73	67	114743	43.08	ug/L	0.00
Spiked Amount	50.000	Range	70 - 120	Recovery	=	86.16%
41) Toluene-d8	7.93	98	352039	42.81	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	85.62%
43) trans-1,3-Dichloropropene-	8.21	79	56200	44.36	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	88.72%
47) 2-Hexanone-d5	8.68	63	141386	114.47	ug/L	0.01
Spiked Amount	100.000	Range	45 - 130	Recovery	=	114.47%
57) 1,1,2,2-Tetrachloroethane-	10.78	84	189141	48.30	ug/L	0.00
Spiked Amount	50.000	Range	65 - 120	Recovery	=	96.60%
64) 1,2-Dichlorobenzene-d4	12.21	152	157081	43.41	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	86.82%

Target Compounds	Ovalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA U\DATA\VU012920\
Data File : VU036600.D
Acq On : 29 Jan 2020 18:09
Operator : JC/MD
Sample : L1271-11
Misc : 5.00µ/5.0mL/100µL/5.0mL/MSVOA_U/MEOH
ALS Vial : 20 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
GAT02

Quant Time: Jan 30 04:48:18 2020
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM012920WMA.M
Quant Title : VOC Analysis
QLast Update : Thu Jan 30 02:48:11 2020
Response via : Initial Calibration

