

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU012924\
 Data File : VU057718.D
 Acq On : 29 Jan 2024 15:43
 Operator : MD/SY
 Sample : P1229-24
 Misc : 25.0mL/MSVOA_U/WATER
 ALS Vial : 15 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 C0BA9

Quant Time: Jan 30 00:34:05 2024
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMUTR012324WMA.M
 Quant Title : TRACE VOA SFAM1.0
 QLast Update : Tue Jan 30 00:30:52 2024
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	6.245	114	67526	5.000	ug/L	0.00
28) Chlorobenzene-d5	9.412	117	62661	5.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	11.807	152	29103	5.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	1.595	65	20743	5.575	ug/L	0.00
Spiked Amount	5.000	Range	40 - 130	Recovery	=	111.600%
7) Chloroethane-d5	1.911	69	17179	5.511	ug/L	0.00
Spiked Amount	5.000	Range	65 - 130	Recovery	=	110.200%
11) 1,1-Dichloroethene-d2	2.563	65	9381	5.362	ug/L	0.00
Spiked Amount	5.000	Range	60 - 125	Recovery	=	107.200%
20) 2-Butanone-d5	4.634	46	39875	56.813	ug/L	0.00
Spiked Amount	50.000	Range	40 - 130	Recovery	=	113.620%
24) Chloroform-d	5.055	84	38137	5.050	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	101.000%
26) 1,2-Dichloroethane-d4	5.695	65	19587	5.708	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	114.200%
32) Benzene-d6	5.721	84	79623	5.417	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	108.400%
36) 1,2-Dichloropropane-d6	6.685	67	23827	5.375	ug/L	0.00
Spiked Amount	5.000	Range	60 - 140	Recovery	=	107.400%
41) Toluene-d8	7.894	98	73529	5.270	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	105.400%
43) trans-1,3-Dichloroprop...	8.177	79	8939	5.059	ug/L	0.00
Spiked Amount	5.000	Range	55 - 130	Recovery	=	101.200%
46) 2-Hexanone-d5	8.631	63	31198	55.341	ug/L	0.00
Spiked Amount	50.000	Range	45 - 130	Recovery	=	110.680%
56) 1,1,2,2-Tetrachloroeth...	10.749	84	15654	5.268	ug/L	0.00
Spiked Amount	5.000	Range	65 - 120	Recovery	=	105.400%
66) 1,2-Dichlorobenzene-d4	12.190	152	22967	5.623	ug/L	0.00
Spiked Amount	5.000	Range	80 - 120	Recovery	=	112.400%
Target Compounds						Qvalue
47) Tetrachloroethene	8.547	164	383762	88.137	ug/L	98

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU012924\
Data File : VU057718.D
Acq On : 29 Jan 2024 15:43
Operator : MD/SY
Sample : P1229-24
Misc : 25.0mL/MSVOA_U/WATER
ALS Vial : 15 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
C0BA9

Quant Time: Jan 30 00:34:05 2024
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMUTR012324WMA.M
Quant Title : TRACE VOA SFAM1.0
QLast Update : Tue Jan 30 00:30:52 2024
Response via : Initial Calibration

