

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU013020\
 Data File : VU036626.D
 Acq On : 30 Jan 2020 18:24
 Operator : JC/MD
 Sample : L1326-10
 Misc : 5.0mL/MSVOA U/WATER
 ALS Vial : 21 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 DBCX5

Quant Time: Jan 31 04:29:25 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM012920WMA.M
 Quant Title : VOC Analysis
 QLast Update : Fri Jan 31 04:01:38 2020
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	6.29	114	303616	50.00	ug/L	0.00
28) Chlorobenzene-d5	9.44	117	279652	50.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.84	152	126867	50.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.61	65	85180	37.46	ug/L	0.00
Spiked Amount	50.000	Range	60 - 135	Recovery	=	74.92%
7) Chloroethane-d5	1.93	69	78573	40.27	ug/L	0.00
Spiked Amount	50.000	Range	70 - 130	Recovery	=	80.54%
11) 1,1-Dichloroethene-d2	2.59	63	112880	30.70	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	61.40%
21) 2-Butanone-d5	4.67	46	141641	104.93	ug/L	0.00
Spiked Amount	100.000	Range	40 - 130	Recovery	=	104.93%
24) Chloroform-d	5.11	84	155470	41.75	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	83.50%
26) 1,2-Dichloroethane-d4	5.75	65	102692	44.24	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	88.48%
32) Benzene-d6	5.77	84	351011	44.62	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	89.24%
36) 1,2-Dichloropropane-d6	6.73	67	114928	46.89	ug/L	0.00
Spiked Amount	50.000	Range	70 - 120	Recovery	=	93.78%
41) Toluene-d8	7.93	98	330940	43.73	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	87.46%
43) trans-1,3-Dichloropropene-	8.21	79	51893	44.51	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	89.02%
47) 2-Hexanone-d5	8.67	63	124766	109.76	ug/L	0.00
Spiked Amount	100.000	Range	45 - 130	Recovery	=	109.76%
57) 1,1,2,2-Tetrachloroethane-	10.78	84	167462	46.46	ug/L	0.00
Spiked Amount	50.000	Range	65 - 120	Recovery	=	92.92%
64) 1,2-Dichlorobenzene-d4	12.21	152	123715	45.44	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	90.88%

Target Compounds					Ovalue
13) Acetone	2.66	43	2810	2.151 ug/L	100

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA U\DATA\VU013020\
Data File : VU036626.D
Acq On : 30 Jan 2020 18:24
Operator : JC/MD
Sample : L1326-10
Misc : 5.0mL/MSVOA U/WATER
ALS Vial : 21 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
DBCX5

Quant Time: Jan 31 04:29:25 2020
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM012920WMA.M
Quant Title : VOC Analysis
QLast Update : Fri Jan 31 04:01:38 2020
Response via : Initial Calibration

