

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU013020\
 Data File : VU036609.D
 Acq On : 30 Jan 2020 11:15
 Operator : JC/MD
 Sample : VU0130WBL01
 Misc : 5.0mL/MSVOA U/WATER
 ALS Vial : 3 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 VBLK49

Quant Time: Jan 30 13:10:37 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM012920WMA.M
 Quant Title : VOC Analysis
 QLast Update : Thu Jan 30 12:57:35 2020
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	6.29	114	310387	50.00	ug/L	0.00
28) Chlorobenzene-d5	9.45	117	287582	50.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.83	152	129763	50.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.61	65	99079	42.62	ug/L	0.00
Spiked Amount	50.000	Range	60 - 135	Recovery	=	85.24%
7) Chloroethane-d5	1.93	69	89111	44.67	ug/L	0.00
Spiked Amount	50.000	Range	70 - 130	Recovery	=	89.34%
11) 1,1-Dichloroethene-d2	2.59	63	129992	34.58	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	69.16%
21) 2-Butanone-d5	4.67	46	145560	105.48	ug/L	0.00
Spiked Amount	100.000	Range	40 - 130	Recovery	=	105.48%
24) Chloroform-d	5.11	84	168627	44.30	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	88.60%
26) 1,2-Dichloroethane-d4	5.74	65	111797	47.11	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	94.22%
32) Benzene-d6	5.77	84	386149	47.73	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	95.46%
36) 1,2-Dichloropropane-d6	6.73	67	124807	49.51	ug/L	0.00
Spiked Amount	50.000	Range	70 - 120	Recovery	=	99.02%
41) Toluene-d8	7.93	98	368689	47.37	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	94.74%
43) trans-1,3-Dichloropropene-	8.21	79	57802	48.21	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	96.42%
47) 2-Hexanone-d5	8.67	63	132935	113.72	ug/L	0.00
Spiked Amount	100.000	Range	45 - 130	Recovery	=	113.72%
57) 1,1,2,2-Tetrachloroethane-	10.78	84	174934	47.20	ug/L	0.00
Spiked Amount	50.000	Range	65 - 120	Recovery	=	94.40%
64) 1,2-Dichlorobenzene-d4	12.21	152	132774	47.68	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	95.36%


Target Compounds				Ovalue
13) Acetone	2.66	43	2464	1.845 ug/L 92


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA U\DATA\VU013020\
Data File : VU036609.D
Acq On : 30 Jan 2020 11:15
Operator : JC/MD
Sample : VU0130WBL01
Misc : 5.0mL/MSVOA U/WATER
ALS Vial : 3 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
VBLK49

Quant Time: Jan 30 13:10:37 2020
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM012920WMA.M
Quant Title : VOC Analysis
QLast Update : Thu Jan 30 12:57:35 2020
Response via : Initial Calibration





#13

Acetone

Concen: 1.845 ug/L

RT: 2.66 min Scan# 411

Delta R.T. 0.01 min

Lab File: VU036609.D

Acq: 30 Jan 2020 11:15

Instrument :

MSVOA_U

ClientSampleId :

VBLK49

Tot Ion: 43 Resp: 2464

Ion Ratio Lower Upper

43 100

58 33.1 0.0 75.4

