

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU013020\
 Data File : VU036625.D
 Acq On : 30 Jan 2020 18:00
 Operator : JC/MD
 Sample : VU0130MBL02
 Misc : 5.00g/5.0mL/100uL/5.0mL/MSVOA_U/MEOH
 ALS Vial : 20 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 VBLK52

Quant Time: Feb 14 00:32:37 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM012920WMA.M
 Quant Title : VOC Analysis
 QLast Update : Fri Jan 31 04:01:38 2020
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	6.29	114	297849	50.00	ug/L	0.00
28) Chlorobenzene-d5	9.44	117	278525	50.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.83	152	129876	50.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.61	65	86674	38.85	ug/L	0.00
Spiked Amount	50.000	Range	60 - 135	Recovery	=	77.70%
7) Chloroethane-d5	1.93	69	80052	41.82	ug/L	0.00
Spiked Amount	50.000	Range	70 - 130	Recovery	=	83.64%
11) 1,1-Dichloroethene-d2	2.59	63	115830	32.11	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	64.22%
21) 2-Butanone-d5	4.68	46	135334	102.20	ug/L	0.00
Spiked Amount	100.000	Range	40 - 130	Recovery	=	102.20%
24) Chloroform-d	5.11	84	153525	42.03	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	84.06%
26) 1,2-Dichloroethane-d4	5.75	65	103098	45.28	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	90.56%
32) Benzene-d6	5.77	84	357389	45.62	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	91.24%
36) 1,2-Dichloropropane-d6	6.73	67	114988	47.10	ug/L	0.00
Spiked Amount	50.000	Range	70 - 120	Recovery	=	94.20%
41) Toluene-d8	7.93	98	338941	44.97	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	89.94%
43) trans-1,3-Dichloropropene-	8.21	79	53891	46.41	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	92.82%
47) 2-Hexanone-d5	8.67	63	131188	115.87	ug/L	0.00
Spiked Amount	100.000	Range	45 - 130	Recovery	=	115.87%
57) 1,1,2,2-Tetrachloroethane-	10.78	84	169641	47.26	ug/L	0.00
Spiked Amount	50.000	Range	65 - 120	Recovery	=	94.52%
64) 1,2-Dichlorobenzene-d4	12.21	152	128954	46.27	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	92.54%


Target Compounds					Ovalue
25) Chloroform	5.13	83	9634	2.649 ug/L	99


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU013020\
Data File : VU036625.D
Acq On : 30 Jan 2020 18:00
Operator : JC/MD
Sample : VU0130MBL02
Misc : 5.00µ/5.0mL/100µL/5.0mL/MSVOA_U/MEOH
ALS Vial : 20 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
VBLK52

Quant Time: Feb 14 00:32:37 2020
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM012920WMA.M
Quant Title : VOC Analysis
QLast Update : Fri Jan 31 04:01:38 2020
Response via : Initial Calibration





#25
 Chloroform
 Concen: 2.649 ug/L
 RT: 5.13 min Scan# 1180
 Delta R.T. -0.00 min
 Lab File: VU036625.D
 Acq: 30 Jan 2020 18:00

Instrument :
 MSVOA_U
 ClientSampleId :
 VBLK52

Tot Ion: 83 Resp: 9634
 Ion Ratio Lower Upper
 83 100
 85 65.4 46.3 85.9

