

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU020320\
 Data File : VU036673.D
 Acq On : 03 Feb 2020 15:45
 Operator : JC/MD
 Sample : L1303-07MEDL 100X
 Misc : 4.44g/5.0mL/100uL/5.0mL/MSVOA_U/MEOH
 ALS Vial : 6 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 C0AF2MEDL

Quant Time: Feb 04 01:11:12 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM013120WMA.M
 Quant Title : VOC Analysis
 QLast Update : Tue Feb 04 00:53:38 2020
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	6.29	114	271846	50.00	ug/L	0.00
28) Chlorobenzene-d5	9.45	117	252196	50.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.83	152	113387	50.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.61	65	111794	45.11	ug/L	0.00
Spiked Amount	50.000	Range	60 - 135	Recovery	=	90.22%
7) Chloroethane-d5	1.93	69	93482	46.84	ug/L	0.00
Spiked Amount	50.000	Range	70 - 130	Recovery	=	93.68%
11) 1,1-Dichloroethene-d2	2.59	63	137803	35.53	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	71.06%
21) 2-Butanone-d5	4.68	46	152104	99.69	ug/L	0.00
Spiked Amount	100.000	Range	40 - 130	Recovery	=	99.69%
24) Chloroform-d	5.11	84	170921	46.54	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	93.08%
26) 1,2-Dichloroethane-d4	5.74	65	115253	47.91	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	95.82%
32) Benzene-d6	5.77	84	370742	48.55	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	97.10%
36) 1,2-Dichloropropane-d6	6.73	67	122257	48.24	ug/L	0.00
Spiked Amount	50.000	Range	70 - 120	Recovery	=	96.48%
41) Toluene-d8	7.93	98	337935	47.97	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	95.94%
43) trans-1,3-Dichloropropene-	8.21	79	58154	47.64	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	95.28%
47) 2-Hexanone-d5	8.67	63	130032	92.97	ug/L	0.00
Spiked Amount	100.000	Range	45 - 130	Recovery	=	92.97%
57) 1,1,2,2-Tetrachloroethane-	10.78	84	163817	45.93	ug/L	0.00
Spiked Amount	50.000	Range	65 - 120	Recovery	=	91.86%
64) 1,2-Dichlorobenzene-d4	12.21	152	115944	48.52	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	97.04%

Target Compounds					Ovalue
46) Tetrachloroethene	8.58	164	59676	41.482 ug/L	98

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA U\DATA\VU020320\
Data File : VU036673.D
Acq On : 03 Feb 2020 15:45
Operator : JC/MD
Sample : L1303-07MEDL 100X
Misc : 4.44g/5.0mL/100uL/5.0mL/MSVOA_U/MEOH
ALS Vial : 6 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
C0AF2MEDL

Quant Time: Feb 04 01:11:12 2020
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM013120WMA.M
Quant Title : VOC Analysis
QLast Update : Tue Feb 04 00:53:38 2020
Response via : Initial Calibration

