

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU020321\
 Data File : VU042251.D
 Acq On : 03 Feb 2021 23:02
 Operator : SY/MD
 Sample : M1298-06
 Misc : 25.0mL/MSVOA_U/WATER
 ALS Vial : 30 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 C0A50

Quant Time: Feb 04 05:36:20 2021
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SOMUTR012021WMA.M
 Quant Title : TRACE VOA SOM01.0
 QLast Update : Thu Feb 04 05:34:35 2021
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) 1,4-Difluorobenzene	6.260	114	99270	5.00	ug/L	0.00
28) Chlorobenzene-d5	9.427	117	92835	5.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.819	152	47225	5.00	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	1.601	65	18532	2.89	ug/L	0.00
Spiked Amount	5.000	Range	40 - 130	Recovery	=	57.80%
7) Chloroethane-d5	1.919	69	17957	3.48	ug/L	0.00
Spiked Amount	5.000	Range	65 - 130	Recovery	=	69.60%
11) 1,1-Dichloroethene-d2	2.575	63	35761	2.53	ug/L	0.00
Spiked Amount	5.000	Range	60 - 125	Recovery	=	50.60%#
20) 2-Butanone-d5	4.649	46	122073	52.24	ug/L	0.00
Spiked Amount	50.000	Range	40 - 130	Recovery	=	104.48%
24) Chloroform-d	5.073	84	56973	4.26	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	85.20%
26) 1,2-Dichloroethane-d4	5.713	65	37252	4.66	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	93.20%
32) Benzene-d6	5.739	84	99403	4.10	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	82.00%
36) 1,2-Dichloropropane-d6	6.700	67	35791	4.58	ug/L	0.00
Spiked Amount	5.000	Range	60 - 140	Recovery	=	91.60%
41) Toluene-d8	7.906	98	92320	4.03	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	80.60%
43) trans-1,3-Dichloroprop...	8.186	79	15027	3.79	ug/L	0.00
Spiked Amount	5.000	Range	55 - 130	Recovery	=	75.80%
46) 2-Hexanone-d5	8.645	63	87384	50.64	ug/L	0.00
Spiked Amount	50.000	Range	45 - 130	Recovery	=	101.28%
57) 1,1,2,2-Tetrachloroeth...	10.764	84	32303	4.82	ug/L	0.00
Spiked Amount	5.000	Range	65 - 120	Recovery	=	96.40%
64) 1,2-Dichlorobenzene-d4	12.201	152	41798	4.93	ug/L	0.00
Spiked Amount	5.000	Range	80 - 120	Recovery	=	98.60%
Target Compounds					Qvalue	
13) Acetone	2.658	43	4668	3.00	ug/L	90


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU020321\
Data File : VU042251.D
Acq On : 03 Feb 2021 23:02
Operator : SY/MD
Sample : M1298-06
Misc : 25.0mL/MSVOA_U/WATER
ALS Vial : 30 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
C0A50

Quant Time: Feb 04 05:36:20 2021
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SOMUTR012021WMA.M
Quant Title : TRACE VOA SOM01.0
QLast Update : Thu Feb 04 05:34:35 2021
Response via : Initial Calibration





#13
Acetone
Concen: 3.00 ug/L
RT: 2.658 min Scan# 410
Delta R.T. 0.000 min
Lab File: VU042251.D
Acq: 03 Feb 2021 23:02

Instrument :
MSVOA_U
ClientSampleId :
C0A50

Tgt Ion: 43 Resp: 4668
Ion Ratio Lower Upper
43 100
58 22.4 0.0 55.8

