

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU020720\
 Data File : VU036694.D
 Acq On : 07 Feb 2020 11:42
 Operator : JC/MD
 Sample : VU0207WBL04
 Misc : 5.0mL/MSVOA U/WATER
 ALS Vial : 5 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 VBLK105

Quant Time: Feb 07 23:08:56 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SFAMULM020620W.M
 Quant Title : VOC Analysis
 QLast Update : Fri Feb 07 22:36:50 2020
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	6.29	114	263003	50.00	ug/L	0.00
28) Chlorobenzene-d5	9.44	117	242979	50.00	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	11.83	152	103184	50.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.61	65	77046	43.92	ug/L	0.00
Spiked Amount	50.000	Range	60 - 135	Recovery	=	87.84%
7) Chloroethane-d5	1.93	69	75526	46.44	ug/L	0.00
Spiked Amount	50.000	Range	70 - 130	Recovery	=	92.88%
11) 1,1-Dichloroethene-d2	2.59	63	110482	33.36	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	66.72%
21) 2-Butanone-d5	4.67	46	153729	102.73	ug/L	0.00
Spiked Amount	100.000	Range	40 - 130	Recovery	=	102.73%
24) Chloroform-d	5.11	84	146794	46.24	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	92.48%
26) 1,2-Dichloroethane-d4	5.74	65	104164	47.98	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	95.96%
32) Benzene-d6	5.77	84	311174	48.71	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	97.42%
36) 1,2-Dichloropropane-d6	6.73	67	103130	48.63	ug/L	0.00
Spiked Amount	50.000	Range	70 - 120	Recovery	=	97.26%
41) Toluene-d8	7.93	98	285198	48.75	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	97.50%
43) trans-1,3-Dichloropropene-	8.21	79	47838	47.11	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	94.22%
47) 2-Hexanone-d5	8.66	63	120075	99.21	ug/L	0.00
Spiked Amount	100.000	Range	45 - 130	Recovery	=	99.21%
56) 1,1,2,2-Tetrachloroethane-	10.78	84	149179	47.74	ug/L	0.00
Spiked Amount	50.000	Range	65 - 120	Recovery	=	95.48%
66) 1,2-Dichlorobenzene-d4	12.21	152	94100	50.19	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	100.38%


Target Compounds					Ovalue
13) Acetone	2.66	43	2447	1.539 ug/L	92


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA U\DATA\VU020720\
Data File : VU036694.D
Acq On : 07 Feb 2020 11:42
Operator : JC/MD
Sample : VU0207WBL04
Misc : 5.0mL/MSVOA U/WATER
ALS Vial : 5 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
VBLK105

Quant Time: Feb 07 23:08:56 2020
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_U\METHOD\SFAMULM020620W.M
Quant Title : VOC Analysis
QLast Update : Fri Feb 07 22:36:50 2020
Response via : Initial Calibration





#13

Acetone

Concen: 1.539 ug/L

RT: 2.66 min Scan# 411

Delta R.T. -0.00 min

Lab File: VU036694.D

Acq: 07 Feb 2020 11:42

Instrument :

MSVOA_U

ClientSampleId :

VBLK105

Tot Ion: 43 Resp: 2447

Ion Ratio Lower Upper

43 100

58 27.5 0.0 64.0

