

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU020724\
 Data File : VU057838.D
 Acq On : 07 Feb 2024 14:22
 Operator : MD/SY
 Sample : PB158871TB 10X
 Misc : 5.0mL/MSVOA_U/WATER
 ALS Vial : 13 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 VLEB871

Quant Time: Feb 08 01:27:28 2024
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMULM020724WMA.M
 Quant Title : VOC Analysis
 QLast Update : Thu Feb 08 01:18:21 2024
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	6.242	114	242918	50.000	ug/L	0.00
28) Chlorobenzene-d5	9.412	117	227731	50.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	11.807	152	110728	50.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	1.595	65	97324	50.055	ug/L	0.00
Spiked Amount	50.000	Range 60 - 135	Recovery	= 100.120%		
7) Chloroethane-d5	1.888	69	74890	49.649	ug/L	-0.02
Spiked Amount	50.000	Range 70 - 130	Recovery	= 99.300%		
11) 1,1-Dichloroethene-d2	2.557	63	128706	36.042	ug/L	0.00
Spiked Amount	50.000	Range 60 - 125	Recovery	= 72.080%		
21) 2-Butanone-d5	4.611	46	98123	90.934	ug/L	0.00
Spiked Amount	100.000	Range 40 - 130	Recovery	= 90.930%		
24) Chloroform-d	5.052	84	161010	46.682	ug/L	0.00
Spiked Amount	50.000	Range 70 - 125	Recovery	= 93.360%		
26) 1,2-Dichloroethane-d4	5.692	65	109273	49.977	ug/L	0.00
Spiked Amount	50.000	Range 70 - 125	Recovery	= 99.960%		
32) Benzene-d6	5.717	84	334840	48.670	ug/L	0.00
Spiked Amount	50.000	Range 70 - 125	Recovery	= 97.340%		
36) 1,2-Dichloropropane-d6	6.682	67	106812	49.163	ug/L	0.00
Spiked Amount	50.000	Range 70 - 120	Recovery	= 98.320%		
41) Toluene-d8	7.891	98	297454	47.691	ug/L	0.00
Spiked Amount	50.000	Range 80 - 120	Recovery	= 95.380%		
43) trans-1,3-Dichloroprop...	8.174	79	49898	46.949	ug/L	0.00
Spiked Amount	50.000	Range 60 - 125	Recovery	= 93.900%		
47) 2-Hexanone-d5	8.627	63	90928	102.534	ug/L	0.00
Spiked Amount	100.000	Range 45 - 130	Recovery	= 102.530%		
56) 1,1,2,2-Tetrachloroeth...	10.749	84	147658	52.210	ug/L	0.00
Spiked Amount	50.000	Range 65 - 120	Recovery	= 104.420%		
66) 1,2-Dichlorobenzene-d4	12.190	152	107251	50.416	ug/L	0.00
Spiked Amount	50.000	Range 80 - 120	Recovery	= 100.840%		

Target Compounds Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU020724\
Data File : VU057838.D
Acq On : 07 Feb 2024 14:22
Operator : MD/SY
Sample : PB158871TB 10X
Misc : 5.0mL/MSVOA_U/WATER
ALS Vial : 13 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
VLEB871

Quant Time: Feb 08 01:27:28 2024
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMULM020724WMA.M
Quant Title : VOC Analysis
QLast Update : Thu Feb 08 01:18:21 2024
Response via : Initial Calibration

