

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU021020\
 Data File : VU036703.D
 Acq On : 10 Feb 2020 11:20
 Operator : JC/MD
 Sample : VU0210MBL03
 Misc : 5.0µ/5.0mL/100µL/5.0mL/MSVOA_U/MEOH
 ALS Vial : 3 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 VBLK107

Quant Time: Feb 11 03:41:16 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SFAMULM020620W.M
 Quant Title : VOC Analysis
 QLast Update : Tue Feb 11 03:31:43 2020
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	6.29	114	263284	50.00	ug/L	0.00
28) Chlorobenzene-d5	9.45	117	238725	50.00	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	11.83	152	102622	50.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.61	65	79449	45.25	ug/L	0.00
Spiked Amount	50.000	Range	60 - 135	Recovery	=	90.50%
7) Chloroethane-d5	1.93	69	75764	46.54	ug/L	0.00
Spiked Amount	50.000	Range	70 - 130	Recovery	=	93.08%
11) 1,1-Dichloroethene-d2	2.59	63	114580	34.56	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	69.12%
21) 2-Butanone-d5	4.68	46	161278	107.66	ug/L	0.00
Spiked Amount	100.000	Range	40 - 130	Recovery	=	107.66%
24) Chloroform-d	5.11	84	153486	48.30	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	96.60%
26) 1,2-Dichloroethane-d4	5.74	65	108642	49.98	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	99.96%
32) Benzene-d6	5.77	84	325096	51.80	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	103.60%
36) 1,2-Dichloropropane-d6	6.73	67	109141	52.38	ug/L	0.00
Spiked Amount	50.000	Range	70 - 120	Recovery	=	104.76%
41) Toluene-d8	7.93	98	289249	50.33	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	100.66%
43) trans-1,3-Dichloropropene-	8.21	79	48610	48.73	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	97.46%
47) 2-Hexanone-d5	8.67	63	125913	105.89	ug/L	0.00
Spiked Amount	100.000	Range	45 - 130	Recovery	=	105.89%
56) 1,1,2,2-Tetrachloroethane-	10.78	84	157815	51.40	ug/L	0.00
Spiked Amount	50.000	Range	65 - 120	Recovery	=	102.80%
66) 1,2-Dichlorobenzene-d4	12.21	152	97267	52.17	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	104.34%


Target Compounds					Ovalue
13) Acetone	2.67	43	4528	2.845 ug/L	95


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA U\DATA\VU021020\
Data File : VU036703.D
Acq On : 10 Feb 2020 11:20
Operator : JC/MD
Sample : VU0210MBL03
Misc : 5.0µ/5.0mL/100uL/5.0mL/MSVOA_U/MEOH
ALS Vial : 3 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
VBLK107

Quant Time: Feb 11 03:41:16 2020
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_U\METHOD\SFAMULM020620W.M
Quant Title : VOC Analysis
QLast Update : Tue Feb 11 03:31:43 2020
Response via : Initial Calibration





#13

Acetone

Concen: 2.845 ug/L

RT: 2.67 min Scan# 413

Delta R.T. 0.01 min

Lab File: VU036703.D

Acq: 10 Feb 2020 11:20

Instrument :

MSVOA_U

ClientSampleId :

VBLK107

Tot Ion: 43 Resp: 4528

Ion Ratio Lower Upper

43 100

58 29.2 0.0 64.0

