

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU021020\
 Data File : VU036704.D
 Acq On : 10 Feb 2020 11:42
 Operator : JC/MD
 Sample : VU0210MBL04
 Misc : 5.0µ/5.0mL/100µL/5.0mL/MSVOA_U/MEOH
 ALS Vial : 4 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 VBLK108

Quant Time: Feb 11 03:47:22 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SFAMULM020620W.M
 Quant Title : VOC Analysis
 QLast Update : Tue Feb 11 03:31:43 2020
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	6.29	114	252017	50.00	ug/L	0.00
28) Chlorobenzene-d5	9.45	117	236845	50.00	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	11.83	152	99679	50.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.61	65	76187	45.33	ug/L	0.00
Spiked Amount	50.000	Range	60 - 135	Recovery	=	90.66%
7) Chloroethane-d5	1.93	69	73454	47.13	ug/L	0.00
Spiked Amount	50.000	Range	70 - 130	Recovery	=	94.26%
11) 1,1-Dichloroethene-d2	2.59	63	109745	34.59	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	69.18%
21) 2-Butanone-d5	4.68	46	162999	113.67	ug/L	0.00
Spiked Amount	100.000	Range	40 - 130	Recovery	=	113.67%
24) Chloroform-d	5.11	84	149410	49.12	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	98.24%
26) 1,2-Dichloroethane-d4	5.75	65	106395	51.14	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	102.28%
32) Benzene-d6	5.77	84	313302	50.31	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	100.62%
36) 1,2-Dichloropropane-d6	6.73	67	107322	51.92	ug/L	0.00
Spiked Amount	50.000	Range	70 - 120	Recovery	=	103.84%
41) Toluene-d8	7.93	98	282309	49.51	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	99.02%
43) trans-1,3-Dichloropropene-	8.21	79	48083	48.58	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	97.16%
47) 2-Hexanone-d5	8.67	63	126197	106.97	ug/L	0.00
Spiked Amount	100.000	Range	45 - 130	Recovery	=	106.97%
56) 1,1,2,2-Tetrachloroethane-	10.78	84	156727	51.45	ug/L	0.00
Spiked Amount	50.000	Range	65 - 120	Recovery	=	102.90%
66) 1,2-Dichlorobenzene-d4	12.21	152	94594	52.23	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	104.46%


Target Compounds					Ovalue
13) Acetone	2.66	43	4286	2.814 ug/L	90


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA U\DATA\VU021020\
Data File : VU036704.D
Acq On : 10 Feb 2020 11:42
Operator : JC/MD
Sample : VU0210MBL04
Misc : 5.0µ/5.0mL/100µL/5.0mL/MSVOA_U/MEOH
ALS Vial : 4 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
VBLK108

Quant Time: Feb 11 03:47:22 2020
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_U\METHOD\SFAMULM020620W.M
Quant Title : VOC Analysis
QLast Update : Tue Feb 11 03:31:43 2020
Response via : Initial Calibration





#13
 Acetone
 Concen: 2.814 ug/L
 RT: 2.66 min Scan# 411
 Delta R.T. 0.00 min
 Lab File: VU036704.D
 Acq: 10 Feb 2020 11:42

Instrument :
 MSVOA_U
 ClientSampleId :
 VBLK108

Tot Ion: 43 Resp: 4286
 Ion Ratio Lower Upper
 43 100
 58 26.7 0.0 64.0

