

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU021020\
 Data File : VU036705.D
 Acq On : 10 Feb 2020 12:05
 Operator : JC/MD
 Sample : VU0210WBL05
 Misc : 5.0mL/MSVOA U/WATER
 ALS Vial : 5 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 VBLK109

Quant Time: Feb 11 03:49:50 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SFAMULM020620W.M
 Quant Title : VOC Analysis
 QLast Update : Tue Feb 11 03:31:43 2020
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	6.29	114	265322	50.00	ug/L	0.00
28) Chlorobenzene-d5	9.45	117	249489	50.00	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	11.83	152	104649	50.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.61	65	78522	44.37	ug/L	0.00
Spiked Amount	50.000	Range	60 - 135	Recovery	=	88.74%
7) Chloroethane-d5	1.93	69	76130	46.40	ug/L	0.00
Spiked Amount	50.000	Range	70 - 130	Recovery	=	92.80%
11) 1,1-Dichloroethene-d2	2.59	63	113379	33.94	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	67.88%
21) 2-Butanone-d5	4.68	46	161480	106.97	ug/L	0.00
Spiked Amount	100.000	Range	40 - 130	Recovery	=	106.97%
24) Chloroform-d	5.11	84	151359	47.26	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	94.52%
26) 1,2-Dichloroethane-d4	5.75	65	106397	48.58	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	97.16%
32) Benzene-d6	5.77	84	319717	48.74	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	97.48%
36) 1,2-Dichloropropane-d6	6.73	67	108777	49.96	ug/L	0.00
Spiked Amount	50.000	Range	70 - 120	Recovery	=	99.92%
41) Toluene-d8	7.93	98	289749	48.24	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	96.48%
43) trans-1,3-Dichloropropene-	8.21	79	49482	47.46	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	94.92%
47) 2-Hexanone-d5	8.67	63	125796	101.23	ug/L	0.00
Spiked Amount	100.000	Range	45 - 130	Recovery	=	101.23%
56) 1,1,2,2-Tetrachloroethane-	10.78	84	158469	49.39	ug/L	0.00
Spiked Amount	50.000	Range	65 - 120	Recovery	=	98.78%
66) 1,2-Dichlorobenzene-d4	12.21	152	96999	51.02	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	102.04%


Target Compounds					Ovalue
13) Acetone	2.66	43	4066	2.535 ug/L	95


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA U\DATA\VU021020\
Data File : VU036705.D
Acq On : 10 Feb 2020 12:05
Operator : JC/MD
Sample : VU0210WBL05
Misc : 5.0mL/MSVOA U/WATER
ALS Vial : 5 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
VBLK109

Quant Time: Feb 11 03:49:50 2020
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_U\METHOD\SFAMULM020620W.M
Quant Title : VOC Analysis
QLast Update : Tue Feb 11 03:31:43 2020
Response via : Initial Calibration





#13
 Acetone
 Concen: 2.535 ug/L
 RT: 2.66 min Scan# 410
 Delta R.T. -0.00 min
 Lab File: VU036705.D
 Acq: 10 Feb 2020 12:05

Instrument :
 MSVOA_U
 ClientSampleId :
 VBLK109

Tot Ion: 43 Resp: 4066
 Ion Ratio Lower Upper
 43 100
 58 29.2 0.0 64.0

