

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU021023\
 Data File : VU053047.D
 Acq On : 10 Feb 2023 18:50
 Operator : JC/MD
 Sample : 01512-03
 Misc : 25.0mL/MSVOA_U/WATER
 ALS Vial : 22 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 C0B81

Quant Time: Feb 10 23:34:58 2023
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMUTR021023WMA.M
 Quant Title : TRACE VOA SFAM1.0
 QLast Update : Fri Feb 10 23:20:41 2023
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) 1,4-Difluorobenzene	6.244	114	122035	5.000	ug/L	0.00
28) Chlorobenzene-d5	9.415	117	108196	5.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	11.810	152	48329	5.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	1.595	65	25189	4.309	ug/L	0.00
Spiked Amount	5.000	Range	40 - 130	Recovery	=	86.200%
7) Chloroethane-d5	1.910	69	26420	4.808	ug/L	0.00
Spiked Amount	5.000	Range	65 - 130	Recovery	=	96.200%
11) 1,1-Dichloroethene-d2	2.563	65	11315	4.220	ug/L	0.00
Spiked Amount	5.000	Range	60 - 125	Recovery	=	84.400%
20) 2-Butanone-d5	4.649	46	90277	50.420	ug/L	0.00
Spiked Amount	50.000	Range	40 - 130	Recovery	=	100.840%
24) Chloroform-d	5.058	84	62106	4.616	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	92.400%
26) 1,2-Dichloroethane-d4	5.698	65	31965	4.716	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	94.400%
32) Benzene-d6	5.723	84	115665	4.757	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	95.200%
36) 1,2-Dichloropropane-d6	6.688	67	40731	4.810	ug/L	0.00
Spiked Amount	5.000	Range	60 - 140	Recovery	=	96.200%
41) Toluene-d8	7.894	98	100141	4.559	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	91.200%
43) trans-1,3-Dichloroprop...	8.177	79	16013	4.671	ug/L	0.00
Spiked Amount	5.000	Range	55 - 130	Recovery	=	93.400%
46) 2-Hexanone-d5	8.630	63	76839	50.486	ug/L	0.00
Spiked Amount	50.000	Range	45 - 130	Recovery	=	100.980%
56) 1,1,2,2-Tetrachloroeth...	10.752	84	36172	4.974	ug/L	0.00
Spiked Amount	5.000	Range	65 - 120	Recovery	=	99.400%
66) 1,2-Dichlorobenzene-d4	12.189	152	36607	5.070	ug/L	0.00
Spiked Amount	5.000	Range	80 - 120	Recovery	=	101.400%
Target Compounds						
					Qvalue	
47) Tetrachloroethene	8.550	164	6025	1.057	ug/L	93


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU021023\
Data File : VU053047.D
Acq On : 10 Feb 2023 18:50
Operator : JC/MD
Sample : 01512-03
Misc : 25.0mL/MSVOA_U/WATER
ALS Vial : 22 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
C0B81


Quant Time: Feb 10 23:34:58 2023
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMUTR021023WMA.M
Quant Title : TRACE VOA SFAM1.0
QLast Update : Fri Feb 10 23:20:41 2023
Response via : Initial Calibration





#47
 Tetrachloroethene
 Concen: 1.057 ug/L
 RT: 8.550 min Scan# 21
 Delta R.T. -0.000 min
 Lab File: VU053047.D
 Acq: 10 Feb 2023 18:50

Instrument :
 MSVOA_U
 ClientSampleId :
 C0B81



Tgt Ion:164 Resp: 6025

Ion	Ratio	Lower	Upper
164	100		
129	116.7	71.7	133.1
131	105.4	67.8	126.0
166	122.6	86.4	160.4

