

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU021220\
 Data File : VU036734.D
 Acq On : 11 Feb 2020 20:50
 Operator : JC/MD
 Sample : L1414-02
 Misc : 25.0mL/MSVOA U/WATER
 ALS Vial : 13 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 C0AA8

Manual Integrations
 APPROVED

MMDadoda
 2/12/2020 4:22:35 PM

Quant Time: Feb 12 08:36:36 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMUTR021220WMA.M
 Quant Title : TRACE VOA SOM01.0
 QLast Update : Wed Feb 12 08:13:11 2020
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	6.29	114	124878	5.00	ug/L	0.00
28) Chlorobenzene-d5	9.45	117	117115	5.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.83	152	50130	5.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.61	65	51967	4.84	ug/L	0.00
Spiked Amount	5.000	Range	40 - 130	Recovery	=	96.80%
7) Chloroethane-d5	1.93	69	45448	4.87	ug/L	0.00
Spiked Amount	5.000	Range	65 - 130	Recovery	=	97.40%
11) 1,1-Dichloroethene-d2	2.59	63	67118	3.74	ug/L	0.00
Spiked Amount	5.000	Range	60 - 125	Recovery	=	74.80%
20) 2-Butanone-d5	4.69	46	120715	53.60	ug/L	0.01
Spiked Amount	50.000	Range	40 - 130	Recovery	=	107.20%
24) Chloroform-d	5.11	84	80500	4.86	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	97.20%
26) 1,2-Dichloroethane-d4	5.75	65	46834	4.93	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	98.60%
32) Benzene-d6	5.77	84	178173	5.00	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	100.00%
36) 1,2-Dichloropropane-d6	6.73	67	56916	5.04	ug/L	0.00
Spiked Amount	5.000	Range	60 - 140	Recovery	=	100.80%
41) Toluene-d8	7.93	98	160209	4.83	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	96.60%
43) trans-1,3-Dichloropropene-	8.21	79	20363	4.64	ug/L	0.00
Spiked Amount	5.000	Range	55 - 130	Recovery	=	92.80%
46) 2-Hexanone-d5	8.67	63	100799	50.25	ug/L	0.00
Spiked Amount	50.000	Range	45 - 130	Recovery	=	100.50%
57) 1,1,2,2-Tetrachloroethane-	10.78	84	41810	4.69	ug/L	0.00
Spiked Amount	5.000	Range	65 - 120	Recovery	=	93.80%
64) 1,2-Dichlorobenzene-d4	12.21	152	50860	5.08	ug/L	0.00
Spiked Amount	5.000	Range	80 - 120	Recovery	=	101.60%

Target Compounds				Ovalue
13) Acetone	2.68	43	4646m	1.613 ug/L

(#) = qualifier out of range (m) = manual integration (+) = signals summed


Data Path : Z:\V0ASRV\HPCHEM1\MSVOA U\DATA\VU021220\
Data File : VU036734.D
Acq On : 11 Feb 2020 20:50
Operator : JC/MD
Sample : L1414-02
Misc : 25.0mL/MSVOA U/WATER
ALS Vial : 13 Sample Multiplier: 1




Instrument :
MSVOA_U
ClientSampleId :
C0AA8

Manual Integrations
APPROVED

MMDadoda
2/12/2020 4:22:35 PM

Quant Time: Feb 12 08:36:36 2020
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_U\METHOD\SOMUTR021220WMA.M
Quant Title : TRACE VOA SOM01.0
QLast Update : Wed Feb 12 08:13:11 2020
Response via : Initial Calibration





#13

Acetone

Concen: 1.613 ug/L m

RT: 2.68 min Scan# 418

Delta R.T. 0.02 min

Lab File: VU036734.D

Acq: 11 Feb 2020 20:50

Tot Ion: 43 Resp: 4646

Ion Ratio Lower Upper

43 100

58 31.7 0.0 64.2

Instrument :

MSVOA_U

ClientSampleId :

C0AA8

Manual Integrations

APPROVED

MMDadoda

2/12/2020 4:22:35 PM

