

Data Path : Z:\VOASRV\HPCHEM1\MSVOA_U\DATA\VU021419\
 Data File : VU029454.D
 Acq On : 14 Feb 2019 13:47
 Operator : JC/SP
 Sample : K1436-11
 Misc : 25.0mL/MSVOA_U/WATER
 ALS Vial : 10 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 ESXA4

Quant Time: Feb 15 01:30:13 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMUTR021219WMA.M
 Quant Title : TRACE VOA SOM01.0
 QLast Update : Fri Feb 15 00:42:37 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	5.88	114	209955	5.00	ug/L	0.00
28) Chlorobenzene-d5	9.09	117	197976	5.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.48	152	106283	5.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.40	65	53230	3.77	ug/L	0.00
Spiked Amount	5.000	Range	40 - 130	Recovery	=	75.40%
7) Chloroethane-d5	1.68	69	50478	4.05	ug/L	0.00
Spiked Amount	5.000	Range	65 - 130	Recovery	=	81.00%
11) 1,1-Dichloroethene-d2	2.27	63	88835	2.90	ug/L	0.00
Spiked Amount	5.000	Range	60 - 125	Recovery	=	58.00%#
20) 2-Butanone-d5	4.19	46	133362	45.47	ug/L	-0.03
Spiked Amount	50.000	Range	40 - 130	Recovery	=	90.94%
24) Chloroform-d	4.65	84	97965	4.37	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	87.40%
26) 1,2-Dichloroethane-d4	5.31	65	51380	4.30	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	86.00%
32) Benzene-d6	5.34	84	207289	4.35	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	87.00%
36) 1,2-Dichloropropane-d6	6.33	67	61850	4.40	ug/L	0.00
Spiked Amount	5.000	Range	60 - 140	Recovery	=	88.00%
41) Toluene-d8	7.56	98	197463	4.21	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	84.20%
43) trans-1,3-Dichloropropene-	7.85	79	25429	4.05	ug/L	0.00
Spiked Amount	5.000	Range	55 - 130	Recovery	=	81.00%
46) 2-Hexanone-d5	8.31	63	136152	47.06	ug/L	0.00
Spiked Amount	50.000	Range	45 - 130	Recovery	=	94.12%
57) 1,1,2,2-Tetrachloroethane-	10.43	84	52394	4.29	ug/L	0.00
Spiked Amount	5.000	Range	65 - 120	Recovery	=	85.80%
64) 1,2-Dichlorobenzene-d4	11.86	152	87743	4.48	ug/L	0.00
Spiked Amount	5.000	Range	80 - 120	Recovery	=	89.60%


Target Compounds					Qvalue
13) Acetone	2.32	43	4942	1.855 ug/L	94


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA_U\DATA\VU021419\
Data File : VU029454.D
Acq On : 14 Feb 2019 13:47
Operator : JC/SP
Sample : K1436-11
Misc : 25.0mL/MSVOA_U/WATER
ALS Vial : 10 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
ESXA4

Quant Time: Feb 15 01:30:13 2019
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_U\METHOD\SOMUTR021219WMA.M
Quant Title : TRACE VOA SOM01.0
QLast Update : Fri Feb 15 00:42:37 2019
Response via : Initial Calibration





#13

Acetone

Concen: 1.855 ug/L

RT: 2.32 min Scan# 384

Delta R.T. -0.03 min

Lab File: VU029454.D

Acq: 14 Feb 2019 13:47

Instrument :
MSVOA_U
ClientSampleId :
ESXA4

Tgt Ion: 43 Resp: 4942

Ion Ratio Lower Upper

43 100

58 35.9 0.0 65.0

