

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU021420\  
 Data File : VU036780.D  
 Acq On : 14 Feb 2020 10:45  
 Operator : JC/MD  
 Sample : VU0214WBL01  
 Misc : 25.0mL/MSVOA U/WATER  
 ALS Vial : 3 Sample Multiplier: 1

Instrument :  
 MSVOA\_U  
 ClientSampleId :  
 VBLK15

Quant Time: Feb 14 23:49:26 2020  
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA\_U\METHOD\SOMUTR021220WMA.M  
 Quant Title : TRACE VOA SOM01.0  
 QLast Update : Fri Feb 14 23:39:59 2020  
 Response via : Initial Calibration

| Internal Standards         | R.T.  | QIon | Response | Conc | Units | Dev(Min) |
|----------------------------|-------|------|----------|------|-------|----------|
| 1) 1,4-Difluorobenzene     | 6.29  | 114  | 127174   | 5.00 | ug/L  | 0.00     |
| 28) Chlorobenzene-d5       | 9.44  | 117  | 116426   | 5.00 | ug/L  | 0.00     |
| 60) 1,4-Dichlorobenzene-d4 | 11.83 | 152  | 48607    | 5.00 | ug/L  | 0.00     |

## System Monitoring Compounds

|                                |        |       |          |          |      |         |
|--------------------------------|--------|-------|----------|----------|------|---------|
| 4) Vinyl Chloride-d3           | 1.61   | 65    | 46280    | 4.23     | ug/L | 0.00    |
| Spiked Amount                  | 5.000  | Range | 40 - 130 | Recovery | =    | 84.60%  |
| 7) Chloroethane-d5             | 1.93   | 69    | 42960    | 4.52     | ug/L | 0.00    |
| Spiked Amount                  | 5.000  | Range | 65 - 130 | Recovery | =    | 90.40%  |
| 11) 1,1-Dichloroethene-d2      | 2.59   | 63    | 64170    | 3.51     | ug/L | 0.00    |
| Spiked Amount                  | 5.000  | Range | 60 - 125 | Recovery | =    | 70.20%  |
| 20) 2-Butanone-d5              | 4.69   | 46    | 131507   | 57.34    | ug/L | 0.00    |
| Spiked Amount                  | 50.000 | Range | 40 - 130 | Recovery | =    | 114.68% |
| 24) Chloroform-d               | 5.11   | 84    | 81936    | 4.85     | ug/L | 0.00    |
| Spiked Amount                  | 5.000  | Range | 70 - 125 | Recovery | =    | 97.00%  |
| 26) 1,2-Dichloroethane-d4      | 5.74   | 65    | 47477    | 4.91     | ug/L | 0.00    |
| Spiked Amount                  | 5.000  | Range | 70 - 130 | Recovery | =    | 98.20%  |
| 32) Benzene-d6                 | 5.76   | 84    | 175741   | 4.96     | ug/L | 0.00    |
| Spiked Amount                  | 5.000  | Range | 70 - 125 | Recovery | =    | 99.20%  |
| 36) 1,2-Dichloropropane-d6     | 6.73   | 67    | 57248    | 5.10     | ug/L | 0.00    |
| Spiked Amount                  | 5.000  | Range | 60 - 140 | Recovery | =    | 102.00% |
| 41) Toluene-d8                 | 7.92   | 98    | 160250   | 4.86     | ug/L | 0.00    |
| Spiked Amount                  | 5.000  | Range | 70 - 130 | Recovery | =    | 97.20%  |
| 43) trans-1,3-Dichloropropene- | 8.21   | 79    | 20489    | 4.69     | ug/L | 0.00    |
| Spiked Amount                  | 5.000  | Range | 55 - 130 | Recovery | =    | 93.80%  |
| 46) 2-Hexanone-d5              | 8.67   | 63    | 108452   | 54.38    | ug/L | 0.00    |
| Spiked Amount                  | 50.000 | Range | 45 - 130 | Recovery | =    | 108.76% |
| 57) 1,1,2,2-Tetrachloroethane- | 10.78  | 84    | 43461    | 4.90     | ug/L | 0.00    |
| Spiked Amount                  | 5.000  | Range | 65 - 120 | Recovery | =    | 98.00%  |
| 64) 1,2-Dichlorobenzene-d4     | 12.21  | 152   | 49342    | 5.08     | ug/L | 0.00    |
| Spiked Amount                  | 5.000  | Range | 80 - 120 | Recovery | =    | 101.60% |

| Target Compounds | Ovalue |
|------------------|--------|
| -----            |        |

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA U\DATA\VU021420\  
Data File : VU036780.D  
Acq On : 14 Feb 2020 10:45  
Operator : JC/MD  
Sample : VU0214WBL01  
Misc : 25.0mL/MSVOA U/WATER  
ALS Vial : 3 Sample Multiplier: 1

Instrument :  
MSVOA\_U  
ClientSampleId :  
VBLK15

Quant Time: Feb 14 23:49:26 2020  
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA\_U\METHOD\SOMUTR021220WMA.M  
Quant Title : TRACE VOA SOM01.0  
QLast Update : Fri Feb 14 23:39:59 2020  
Response via : Initial Calibration

