

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU021420\
 Data File : VU036796.D
 Acq On : 14 Feb 2020 18:59
 Operator : JC/MD
 Sample : L1537-09
 Misc : 25.0mL/MSVOA U/WATER
 ALS Vial : 19 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 C0AQ9

Quant Time: Feb 15 01:01:03 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMUTR021220WMA.M
 Quant Title : TRACE VOA SOM01.0
 QLast Update : Fri Feb 14 23:39:59 2020
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	6.29	114	122287	5.00	ug/L	0.00
28) Chlorobenzene-d5	9.44	117	114820	5.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.83	152	43499	5.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.61	65	41184	3.92	ug/L	0.00
Spiked Amount	5.000	Range	40 - 130	Recovery	=	78.40%
7) Chloroethane-d5	1.93	69	39226	4.30	ug/L	0.00
Spiked Amount	5.000	Range	65 - 130	Recovery	=	86.00%
11) 1,1-Dichloroethene-d2	2.59	63	57743	3.29	ug/L	0.00
Spiked Amount	5.000	Range	60 - 125	Recovery	=	65.80%
20) 2-Butanone-d5	4.67	46	118345	53.66	ug/L	-0.01
Spiked Amount	50.000	Range	40 - 130	Recovery	=	107.32%
24) Chloroform-d	5.11	84	76042	4.69	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	93.80%
26) 1,2-Dichloroethane-d4	5.74	65	43611	4.69	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	93.80%
32) Benzene-d6	5.77	84	162006	4.64	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	92.80%
36) 1,2-Dichloropropane-d6	6.73	67	52675	4.76	ug/L	0.00
Spiked Amount	5.000	Range	60 - 140	Recovery	=	95.20%
41) Toluene-d8	7.93	98	145688	4.48	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	89.60%
43) trans-1,3-Dichloropropene-	8.21	79	18190	4.22	ug/L	0.00
Spiked Amount	5.000	Range	55 - 130	Recovery	=	84.40%
46) 2-Hexanone-d5	8.66	63	98551	50.11	ug/L	0.00
Spiked Amount	50.000	Range	45 - 130	Recovery	=	100.22%
57) 1,1,2,2-Tetrachloroethane-	10.78	84	41197	4.71	ug/L	0.00
Spiked Amount	5.000	Range	65 - 120	Recovery	=	94.20%
64) 1,2-Dichlorobenzene-d4	12.21	152	44118	5.08	ug/L	0.00
Spiked Amount	5.000	Range	80 - 120	Recovery	=	101.60%


Target Compounds					Ovalue
47) Tetrachloroethene	8.58	164	22921	3.735 ug/L	97


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA U\DATA\VU021420\
Data File : VU036796.D
Acq On : 14 Feb 2020 18:59
Operator : JC/MD
Sample : L1537-09
Misc : 25.0mL/MSVOA U/WATER
ALS Vial : 19 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
C0AQ9

Quant Time: Feb 15 01:01:03 2020
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_U\METHOD\SOMUTR021220WMA.M
Quant Title : TRACE VOA SOM01.0
QLast Update : Fri Feb 14 23:39:59 2020
Response via : Initial Calibration





#47

Tetrachloroethene

Concen: 3.735 ug/L

RT: 8.58 min Scan# 2251

Delta R.T. -0.00 min

Lab File: VU036796.D

Acq: 14 Feb 2020 18:59

Instrument :

MSVOA_U

ClientSampleId :

C0AQ9

Tot Ion:164 Resp: 22921


Ion Ratio Lower Upper

164 100

129 104.1 68.0 126.4

131 101.5 69.4 128.8

166 125.1 86.6 160.8



Abundance Ion 163.90 (163.60 to 164.60): V

Ion 128.95 (128.65 to 129.65): V

Ion 130.95 (130.65 to 131.65): V

Ion 165.90 (165.60 to 166.60): V

