

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU021819\
 Data File : VU029538.D
 Acq On : 18 Feb 2019 18:31
 Operator : JC/SP
 Sample : K1522-05
 Misc : 25.0mL/MSVOA U/WATER
 ALS Vial : 23 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 C0AM6

Quant Time: Feb 19 12:15:58 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMUTR021219WMA.M
 Quant Title : TRACE VOA SOM01.0
 QLast Update : Tue Feb 19 00:19:12 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	5.88	114	215834	5.00	ug/L	0.00
28) Chlorobenzene-d5	9.09	117	209476	5.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.48	152	108637	5.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.40	65	56076	3.87	ug/L	0.00
Spiked Amount	5.000	Range	40 - 130	Recovery	=	77.40%
7) Chloroethane-d5	1.68	69	52412	4.09	ug/L	0.00
Spiked Amount	5.000	Range	65 - 130	Recovery	=	81.80%
11) 1,1-Dichloroethene-d2	2.27	63	92324	2.93	ug/L	0.00
Spiked Amount	5.000	Range	60 - 125	Recovery	=	58.60%#
20) 2-Butanone-d5	4.19	46	145581	48.28	ug/L	0.00
Spiked Amount	50.000	Range	40 - 130	Recovery	=	96.56%
24) Chloroform-d	4.65	84	92360	4.01	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	80.20%
26) 1,2-Dichloroethane-d4	5.31	65	57280	4.66	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	93.20%
32) Benzene-d6	5.34	84	216283	4.29	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	85.80%
36) 1,2-Dichloropropane-d6	6.33	67	68644	4.61	ug/L	0.00
Spiked Amount	5.000	Range	60 - 140	Recovery	=	92.20%
41) Toluene-d8	7.56	98	211740	4.26	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	85.20%
43) trans-1,3-Dichloropropene-	7.85	79	27507	4.14	ug/L	0.00
Spiked Amount	5.000	Range	55 - 130	Recovery	=	82.80%
46) 2-Hexanone-d5	8.31	63	152320	49.76	ug/L	0.00
Spiked Amount	50.000	Range	45 - 130	Recovery	=	99.52%
57) 1,1,2,2-Tetrachloroethane-	10.43	84	60286	4.66	ug/L	0.00
Spiked Amount	5.000	Range	65 - 120	Recovery	=	93.20%
64) 1,2-Dichlorobenzene-d4	11.86	152	93402	4.66	ug/L	0.00
Spiked Amount	5.000	Range	80 - 120	Recovery	=	93.20%


Target Compounds					Ovalue
13) Acetone	2.32	43	6113	2.232 ug/L	94


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA U\DATA\VU021819\
Data File : VU029538.D
Acq On : 18 Feb 2019 18:31
Operator : JC/SP
Sample : K1522-05
Misc : 25.0mL/MSVOA U/WATER
ALS Vial : 23 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
C0AM6

Quant Time: Feb 19 12:15:58 2019
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_U\METHOD\SOMUTR021219WMA.M
Quant Title : TRACE VOA SOM01.0
QLast Update : Tue Feb 19 00:19:12 2019
Response via : Initial Calibration





#13

Acetone

Concen: 2.232 ug/L

RT: 2.32 min Scan# 383

Delta R.T. 0.00 min

Lab File: VU029538.D

Acq: 18 Feb 2019 18:31

Instrument :
MSVOA_U
ClientSampleId :
C0AM6

Tot Ion: 43 Resp: 6113

Ion Ratio Lower Upper

43 100

58 35.6 0.0 65.0

