

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU021820\
 Data File : VU036833.D
 Acq On : 18 Feb 2020 14:01
 Operator : JC/MD
 Sample : L1540-18
 Misc : 25.0mL/MSVOA U/WATER
 ALS Vial : 9 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 DBD84

Quant Time: Feb 19 06:03:44 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMUTR021220WMA.M
 Quant Title : TRACE VOA SOM01.0
 QLast Update : Wed Feb 19 04:53:41 2020
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	6.29	114	111241	5.00	ug/L	0.00
28) Chlorobenzene-d5	9.44	117	106182	5.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.83	152	41723	5.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.61	65	35758	3.74	ug/L	0.00
Spiked Amount	5.000	Range	40 - 130	Recovery	=	74.80%
7) Chloroethane-d5	1.93	69	36138	4.35	ug/L	0.00
Spiked Amount	5.000	Range	65 - 130	Recovery	=	87.00%
11) 1,1-Dichloroethene-d2	2.59	63	49719	3.11	ug/L	0.00
Spiked Amount	5.000	Range	60 - 125	Recovery	=	62.20%
20) 2-Butanone-d5	4.67	46	110398	55.03	ug/L	0.00
Spiked Amount	50.000	Range	40 - 130	Recovery	=	110.06%
24) Chloroform-d	5.11	84	67860	4.60	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	92.00%
26) 1,2-Dichloroethane-d4	5.74	65	40691	4.81	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	96.20%
32) Benzene-d6	5.76	84	151297	4.68	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	93.60%
36) 1,2-Dichloropropane-d6	6.73	67	49941	4.88	ug/L	0.00
Spiked Amount	5.000	Range	60 - 140	Recovery	=	97.60%
41) Toluene-d8	7.93	98	133656	4.45	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	89.00%
43) trans-1,3-Dichloropropene-	8.21	79	16665	4.18	ug/L	0.00
Spiked Amount	5.000	Range	55 - 130	Recovery	=	83.60%
46) 2-Hexanone-d5	8.66	63	91602	50.37	ug/L	0.00
Spiked Amount	50.000	Range	45 - 130	Recovery	=	100.74%
57) 1,1,2,2-Tetrachloroethane-	10.78	84	40032	4.95	ug/L	0.00
Spiked Amount	5.000	Range	65 - 120	Recovery	=	99.00%
64) 1,2-Dichlorobenzene-d4	12.21	152	42343	5.08	ug/L	0.00
Spiked Amount	5.000	Range	80 - 120	Recovery	=	101.60%


Target Compounds					Ovalue
13) Acetone	2.66	43	2148	0.837 ug/L	97


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA U\DATA\VU021820\
Data File : VU036833.D
Acq On : 18 Feb 2020 14:01
Operator : JC/MD
Sample : L1540-18
Misc : 25.0mL/MSVOA U/WATER
ALS Vial : 9 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
DBD84

Quant Time: Feb 19 06:03:44 2020
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_U\METHOD\SOMUTR021220WMA.M
Quant Title : TRACE VOA SOM01.0
QLast Update : Wed Feb 19 04:53:41 2020
Response via : Initial Calibration





#13

Acetone

Concen: 0.837 ug/L

RT: 2.66 min Scan# 410

Delta R.T. -0.02 min

Lab File: VU036833.D

Acq: 18 Feb 2020 14:01

Instrument :
MSVOA_U
ClientSampleId :
DBD84

Tot Ion: 43 Resp: 2148

Ion Ratio Lower Upper

43 100

58 30.3 0.0 64.2

