

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU021820\
 Data File : VU036835.D
 Acq On : 18 Feb 2020 14:51
 Operator : JC/MD
 Sample : L1540-20
 Misc : 25.0mL/MSVOA U/WATER
 ALS Vial : 11 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 DBD86

Quant Time: Feb 19 06:09:08 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMUTR021220WMA.M
 Quant Title : TRACE VOA SOM01.0
 QLast Update : Wed Feb 19 04:53:41 2020
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	6.29	114	108577	5.00	ug/L	0.00
28) Chlorobenzene-d5	9.44	117	102323	5.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.83	152	40532	5.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.61	65	35342	3.78	ug/L	0.00
Spiked Amount	5.000	Range	40 - 130	Recovery	=	75.60%
7) Chloroethane-d5	1.93	69	36255	4.47	ug/L	0.00
Spiked Amount	5.000	Range	65 - 130	Recovery	=	89.40%
11) 1,1-Dichloroethene-d2	2.59	63	49856	3.20	ug/L	0.00
Spiked Amount	5.000	Range	60 - 125	Recovery	=	64.00%
20) 2-Butanone-d5	4.67	46	102668	52.43	ug/L	0.00
Spiked Amount	50.000	Range	40 - 130	Recovery	=	104.86%
24) Chloroform-d	5.11	84	66831	4.64	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	92.80%
26) 1,2-Dichloroethane-d4	5.74	65	39831	4.83	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	96.60%
32) Benzene-d6	5.76	84	149630	4.81	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	96.20%
36) 1,2-Dichloropropane-d6	6.73	67	50343	5.10	ug/L	0.00
Spiked Amount	5.000	Range	60 - 140	Recovery	=	102.00%
41) Toluene-d8	7.93	98	129347	4.47	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	89.40%
43) trans-1,3-Dichloropropene-	8.21	79	16618	4.33	ug/L	0.00
Spiked Amount	5.000	Range	55 - 130	Recovery	=	86.60%
46) 2-Hexanone-d5	8.66	63	87307	49.82	ug/L	0.00
Spiked Amount	50.000	Range	45 - 130	Recovery	=	99.64%
57) 1,1,2,2-Tetrachloroethane-	10.78	84	38653	4.96	ug/L	0.00
Spiked Amount	5.000	Range	65 - 120	Recovery	=	99.20%
64) 1,2-Dichlorobenzene-d4	12.21	152	41607	5.14	ug/L	0.00
Spiked Amount	5.000	Range	80 - 120	Recovery	=	102.80%


Target Compounds					Ovalue
13) Acetone	2.66	43	2104	0.840 ug/L	93


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA U\DATA\VU021820\
Data File : VU036835.D
Acq On : 18 Feb 2020 14:51
Operator : JC/MD
Sample : L1540-20
Misc : 25.0mL/MSVOA U/WATER
ALS Vial : 11 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
DBD86

Quant Time: Feb 19 06:09:08 2020
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_U\METHOD\SOMUTR021220WMA.M
Quant Title : TRACE VOA SOM01.0
QLast Update : Wed Feb 19 04:53:41 2020
Response via : Initial Calibration





#13

Acetone

Concen: 0.840 ug/L

RT: 2.66 min Scan# 409

Delta R.T. -0.02 min

Lab File: VU036835.D

Acq: 18 Feb 2020 14:51

Instrument :

MSVOA_U

ClientSampleId :

DBD86

Tot Ion: 43 Resp: 2104

Ion Ratio Lower Upper

43 100

58 28.4 0.0 64.2

