

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU021820\
 Data File : VU036836.D
 Acq On : 18 Feb 2020 15:16
 Operator : JC/MD
 Sample : L1540-21
 Misc : 25.0mL/MSVOA U/WATER
 ALS Vial : 12 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 DBD90

Quant Time: Feb 19 06:12:14 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMUTR021220WMA.M
 Quant Title : TRACE VOA SOM01.0
 QLast Update : Wed Feb 19 04:53:41 2020
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	6.29	114	109933	5.00	ug/L	0.00
28) Chlorobenzene-d5	9.44	117	104060	5.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.83	152	43566	5.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.61	65	35372	3.74	ug/L	0.00
Spiked Amount	5.000	Range	40 - 130	Recovery	=	74.80%
7) Chloroethane-d5	1.93	69	35147	4.28	ug/L	0.00
Spiked Amount	5.000	Range	65 - 130	Recovery	=	85.60%
11) 1,1-Dichloroethene-d2	2.59	63	48330	3.06	ug/L	0.00
Spiked Amount	5.000	Range	60 - 125	Recovery	=	61.20%
20) 2-Butanone-d5	4.68	46	106354	53.64	ug/L	0.00
Spiked Amount	50.000	Range	40 - 130	Recovery	=	107.28%
24) Chloroform-d	5.11	84	70712	4.85	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	97.00%
26) 1,2-Dichloroethane-d4	5.74	65	39239	4.70	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	94.00%
32) Benzene-d6	5.76	84	145949	4.61	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	92.20%
36) 1,2-Dichloropropane-d6	6.73	67	47598	4.74	ug/L	0.00
Spiked Amount	5.000	Range	60 - 140	Recovery	=	94.80%
41) Toluene-d8	7.93	98	126795	4.31	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	86.20%
43) trans-1,3-Dichloropropene-	8.21	79	16195	4.15	ug/L	0.00
Spiked Amount	5.000	Range	55 - 130	Recovery	=	83.00%
46) 2-Hexanone-d5	8.66	63	88259	49.52	ug/L	0.00
Spiked Amount	50.000	Range	45 - 130	Recovery	=	99.04%
57) 1,1,2,2-Tetrachloroethane-	10.78	84	37329	4.71	ug/L	0.00
Spiked Amount	5.000	Range	65 - 120	Recovery	=	94.20%
64) 1,2-Dichlorobenzene-d4	12.21	152	41827	4.81	ug/L	0.00
Spiked Amount	5.000	Range	80 - 120	Recovery	=	96.20%


Target Compounds					Ovalue
13) Acetone	2.67	43	3015	1.189 ug/L	88


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA U\DATA\VU021820\
Data File : VU036836.D
Acq On : 18 Feb 2020 15:16
Operator : JC/MD
Sample : L1540-21
Misc : 25.0mL/MSVOA U/WATER
ALS Vial : 12 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
DBD90

Quant Time: Feb 19 06:12:14 2020
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_U\METHOD\SOMUTR021220WMA.M
Quant Title : TRACE VOA SOM01.0
QLast Update : Wed Feb 19 04:53:41 2020
Response via : Initial Calibration





#13
 Acetone
 Concen: 1.189 ug/L
 RT: 2.67 min Scan# 415
 Delta R.T. -0.00 min
 Lab File: VU036836.D
 Acq: 18 Feb 2020 15:16

Instrument :
 MSVOA_U
 ClientSampleId :
 DBD90

Tot Ion: 43 Resp: 3015
 Ion Ratio Lower Upper
 43 100
 58 25.3 0.0 64.2

