

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU021822\
 Data File : VU047210.D
 Acq On : 17 Feb 2022 17:33
 Operator : SY/MD
 Sample : N1558-13DL 4X
 Misc : 25.0mL/MSVOA_U/WATER
 ALS Vial : 8 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 F4M94DL

Quant Time: Feb 18 03:34:13 2022
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMUTR021622WMA.M
 Quant Title : TRACE VOA SFAM1.0
 QLast Update : Fri Feb 18 03:32:37 2022
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	6.250	114	162594	5.000	ug/L	0.00
28) Chlorobenzene-d5	9.420	117	169907	5.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	11.816	152	99243	5.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	1.601	65	59707	4.348	ug/L	0.00
Spiked Amount	5.000	Range 40 - 130	Recovery	=	87.000%	
7) Chloroethane-d5	1.916	69	54633	5.020	ug/L	0.00
Spiked Amount	5.000	Range 65 - 130	Recovery	=	100.400%	
11) 1,1-Dichloroethene-d2	2.565	65	24480	4.310	ug/L	0.00
Spiked Amount	5.000	Range 60 - 125	Recovery	=	86.200%	
20) 2-Butanone-d5	4.645	46	172464	52.545	ug/L	0.00
Spiked Amount	50.000	Range 40 - 130	Recovery	=	105.080%	
24) Chloroform-d	5.067	84	107512	4.713	ug/L	0.00
Spiked Amount	5.000	Range 70 - 125	Recovery	=	94.200%	
26) 1,2-Dichloroethane-d4	5.703	65	58507	4.613	ug/L	0.00
Spiked Amount	5.000	Range 70 - 130	Recovery	=	92.200%	
32) Benzene-d6	5.729	84	220885	4.653	ug/L	0.00
Spiked Amount	5.000	Range 70 - 125	Recovery	=	93.000%	
36) 1,2-Dichloropropane-d6	6.694	67	70566	4.671	ug/L	0.00
Spiked Amount	5.000	Range 60 - 140	Recovery	=	93.400%	
41) Toluene-d8	7.899	98	211607	4.557	ug/L	0.00
Spiked Amount	5.000	Range 70 - 130	Recovery	=	91.200%	
43) trans-1,3-Dichloroprop...	8.182	79	29033	4.240	ug/L	0.00
Spiked Amount	5.000	Range 55 - 130	Recovery	=	84.800%	
46) 2-Hexanone-d5	8.645	63	152200	42.212	ug/L	0.00
Spiked Amount	50.000	Range 45 - 130	Recovery	=	84.420%	
56) 1,1,2,2-Tetrachloroeth...	10.761	84	59843	4.359	ug/L	0.00
Spiked Amount	5.000	Range 65 - 120	Recovery	=	87.200%	
66) 1,2-Dichlorobenzene-d4	12.195	152	87611	4.920	ug/L	0.00
Spiked Amount	5.000	Range 80 - 120	Recovery	=	98.400%	
Target Compounds						
42) Toluene	7.970	91	299264	5.569	ug/L	Qvalue 99

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU021822\
Data File : VU047210.D
Acq On : 17 Feb 2022 17:33
Operator : SY/MD
Sample : N1558-13DL 4X
Misc : 25.0mL/MSVOA_U/WATER
ALS Vial : 8 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
F4M94DL

Quant Time: Feb 18 03:34:13 2022
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMUTR021622WMA.M
Quant Title : TRACE VOA SFAM1.0
QLast Update : Fri Feb 18 03:32:37 2022
Response via : Initial Calibration

