

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU021919\
 Data File : VU029547.D
 Acq On : 19 Feb 2019 12:06
 Operator : JC/SP
 Sample : K1509-04
 Misc : 25.0mL/MSVOA U/WATER
 ALS Vial : 4 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 GAGH2

Quant Time: Feb 20 00:39:03 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMUTR021219WMA.M
 Quant Title : TRACE VOA SOM01.0
 QLast Update : Wed Feb 20 00:07:58 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	5.88	114	211722	5.00	ug/L	0.00
28) Chlorobenzene-d5	9.09	117	204534	5.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.48	152	109340	5.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.40	65	58866	4.14	ug/L	0.00
Spiked Amount	5.000	Range	40 - 130	Recovery	=	82.80%
7) Chloroethane-d5	1.68	69	55598	4.42	ug/L	0.00
Spiked Amount	5.000	Range	65 - 130	Recovery	=	88.40%
11) 1,1-Dichloroethene-d2	2.27	63	93772	3.03	ug/L	0.00
Spiked Amount	5.000	Range	60 - 125	Recovery	=	60.60%
20) 2-Butanone-d5	4.19	46	150557	50.90	ug/L	0.00
Spiked Amount	50.000	Range	40 - 130	Recovery	=	101.80%
24) Chloroform-d	4.64	84	107376	4.75	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	95.00%
26) 1,2-Dichloroethane-d4	5.31	65	59573	4.94	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	98.80%
32) Benzene-d6	5.34	84	232581	4.73	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	94.60%
36) 1,2-Dichloropropane-d6	6.33	67	72252	4.97	ug/L	0.00
Spiked Amount	5.000	Range	60 - 140	Recovery	=	99.40%
41) Toluene-d8	7.56	98	224303	4.62	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	92.40%
43) trans-1,3-Dichloropropene-	7.85	79	28964	4.46	ug/L	0.00
Spiked Amount	5.000	Range	55 - 130	Recovery	=	89.20%
46) 2-Hexanone-d5	8.31	63	152598	51.06	ug/L	0.00
Spiked Amount	50.000	Range	45 - 130	Recovery	=	102.12%
57) 1,1,2,2-Tetrachloroethane-	10.43	84	60965	4.83	ug/L	0.00
Spiked Amount	5.000	Range	65 - 120	Recovery	=	96.60%
64) 1,2-Dichlorobenzene-d4	11.86	152	98290	4.87	ug/L	0.00
Spiked Amount	5.000	Range	80 - 120	Recovery	=	97.40%


Target Compounds					Ovalue
13) Acetone	2.32	43	14936	5.559 ug/L	100


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU021919\
Data File : VU029547.D
Acq On : 19 Feb 2019 12:06
Operator : JC/SP
Sample : K1509-04
Misc : 25.0mL/MSVOA U/WATER
ALS Vial : 4 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
GAGH2

Quant Time: Feb 20 00:39:03 2019
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMUTR021219WMA.M
Quant Title : TRACE VOA SOM01.0
QLast Update : Wed Feb 20 00:07:58 2019
Response via : Initial Calibration





#13

Acetone

Concen: 5.559 ug/L

RT: 2.32 min Scan# 383

Delta R.T. 0.00 min

Lab File: VU029547.D

Acq: 19 Feb 2019 12:06

Instrument :
MSVOA_U
ClientSampleId :
GAGH2

Tot Ion: 43 Resp: 14936

Ion Ratio Lower Upper

43 100

58 32.8 0.0 65.0

