

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU021919\
 Data File : VU029555.D
 Acq On : 19 Feb 2019 15:16
 Operator : JC/SP
 Sample : K1489-07DL 400X
 Misc : 25.0mL/MSVOA U/WATER
 ALS Vial : 12 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 ESXG4DL

Quant Time: Feb 20 01:33:11 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMUTR021219WMA.M
 Quant Title : TRACE VOA SOM01.0
 QLast Update : Wed Feb 20 00:07:58 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	5.88	114	207999	5.00	ug/L	0.00
28) Chlorobenzene-d5	9.09	117	201774	5.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.48	152	106300	5.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.40	65	55870	4.00	ug/L	0.00
Spiked Amount	5.000	Range	40 - 130	Recovery	=	80.00%
7) Chloroethane-d5	1.68	69	53957	4.37	ug/L	0.00
Spiked Amount	5.000	Range	65 - 130	Recovery	=	87.40%
11) 1,1-Dichloroethene-d2	2.27	63	90620	2.98	ug/L	0.00
Spiked Amount	5.000	Range	60 - 125	Recovery	=	59.60%#
20) 2-Butanone-d5	4.19	46	152593	52.52	ug/L	0.00
Spiked Amount	50.000	Range	40 - 130	Recovery	=	105.04%
24) Chloroform-d	4.65	84	81969	3.69	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	73.80%
26) 1,2-Dichloroethane-d4	5.31	65	57475	4.85	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	97.00%
32) Benzene-d6	5.34	84	219186	4.52	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	90.40%
36) 1,2-Dichloropropane-d6	6.33	67	69491	4.85	ug/L	0.00
Spiked Amount	5.000	Range	60 - 140	Recovery	=	97.00%
41) Toluene-d8	7.56	98	211366	4.42	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	88.40%
43) trans-1,3-Dichloropropene-	7.85	79	26783	4.18	ug/L	0.00
Spiked Amount	5.000	Range	55 - 130	Recovery	=	83.60%
46) 2-Hexanone-d5	8.31	63	149632	50.75	ug/L	0.00
Spiked Amount	50.000	Range	45 - 130	Recovery	=	101.50%
57) 1,1,2,2-Tetrachloroethane-	10.43	84	60663	4.87	ug/L	0.00
Spiked Amount	5.000	Range	65 - 120	Recovery	=	97.40%
64) 1,2-Dichlorobenzene-d4	11.86	152	94921	4.84	ug/L	0.00
Spiked Amount	5.000	Range	80 - 120	Recovery	=	96.80%


Target Compounds					Ovalue
5) Vinyl chloride	1.40	62	4390	0.219 ug/L #	17
22) cis-1,2-Dichloroethene	4.22	96	6998	0.417 ug/L	98


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA U\DATA\VU021919\
Data File : VU029555.D
Acq On : 19 Feb 2019 15:16
Operator : JC/SP
Sample : K1489-07DL 400X
Misc : 25.0mL/MSVOA U/WATER
ALS Vial : 12 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
ESXG4DL

Quant Time: Feb 20 01:33:11 2019
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_U\METHOD\SOMUTR021219WMA.M
Quant Title : TRACE VOA SOM01.0
QLast Update : Wed Feb 20 00:07:58 2019
Response via : Initial Calibration





#5

Vinyl chloride

Concen: 0.219 ug/L

RT: 1.40 min Scan# 96

Delta R.T. -0.00 min

Lab File: VU029555.D

Acq: 19 Feb 2019 15:16

Instrument :

MSVOA_U

ClientSampleId :





ESXG4DL

Tot Ion: 62 Resp: 4390

Ion Ratio Lower Upper

62 100

64 80.6 23.5 43.7#



#22

cis-1,2-Dichloroethene

Concen: 0.417 ug/L

RT: 4.22 min Scan# 974

Delta R.T. 0.00 min

Lab File: VU029555.D

Acq: 19 Feb 2019 15:16

Tgt Ion: 96 Resp: 6998

Ion Ratio Lower Upper

96 100

61 116.6 79.9 148.5

68 0.0 0.0 0.0

