

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU021919\
 Data File : VU029565.D
 Acq On : 19 Feb 2019 19:14
 Operator : JC/SP
 Sample : K1488-12DL 10X
 Misc : 25.0mL/MSVOA U/WATER
 ALS Vial : 22 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 ESXE8DL

Quant Time: Feb 20 09:22:30 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMUTR021219WMA.M
 Quant Title : TRACE VOA SOM01.0
 QLast Update : Wed Feb 20 00:07:58 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	5.88	114	212494	5.00	ug/L	0.00
28) Chlorobenzene-d5	9.09	117	204068	5.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.48	152	107824	5.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.40	65	53942	3.78	ug/L	0.00
Spiked Amount	5.000	Range	40 - 130	Recovery	=	75.60%
7) Chloroethane-d5	1.68	69	53707	4.26	ug/L	0.00
Spiked Amount	5.000	Range	65 - 130	Recovery	=	85.20%
11) 1,1-Dichloroethene-d2	2.27	63	86016	2.77	ug/L	0.00
Spiked Amount	5.000	Range	60 - 125	Recovery	=	55.40%#
20) 2-Butanone-d5	4.20	46	156439	52.70	ug/L	0.00
Spiked Amount	50.000	Range	40 - 130	Recovery	=	105.40%
24) Chloroform-d	4.65	84	85082	3.75	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	75.00%
26) 1,2-Dichloroethane-d4	5.31	65	55137	4.56	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	91.20%
32) Benzene-d6	5.34	84	213423	4.35	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	87.00%
36) 1,2-Dichloropropane-d6	6.33	67	66427	4.58	ug/L	0.00
Spiked Amount	5.000	Range	60 - 140	Recovery	=	91.60%
41) Toluene-d8	7.56	98	201719	4.17	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	83.40%
43) trans-1,3-Dichloropropene-	7.85	79	25176	3.89	ug/L	0.00
Spiked Amount	5.000	Range	55 - 130	Recovery	=	77.80%
46) 2-Hexanone-d5	8.31	63	152813	51.24	ug/L	0.00
Spiked Amount	50.000	Range	45 - 130	Recovery	=	102.48%
57) 1,1,2,2-Tetrachloroethane-	10.43	84	59653	4.74	ug/L	0.00
Spiked Amount	5.000	Range	65 - 120	Recovery	=	94.80%
64) 1,2-Dichlorobenzene-d4	11.86	152	92936	4.67	ug/L	0.00
Spiked Amount	5.000	Range	80 - 120	Recovery	=	93.40%


Target Compounds					Ovalue
5) Vinyl chloride	1.40	62	67671	3.307 ug/L	96
22) cis-1,2-Dichloroethene	4.22	96	136571	7.962 ug/L	97


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA U\DATA\VU021919\
Data File : VU029565.D
Acq On : 19 Feb 2019 19:14
Operator : JC/SP
Sample : K1488-12DL 10X
Misc : 25.0mL/MSVOA U/WATER
ALS Vial : 22 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
ESXE8DL

Quant Time: Feb 20 09:22:30 2019
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_U\METHOD\SOMUTR021219WMA.M
Quant Title : TRACE VOA SOM01.0
QLast Update : Wed Feb 20 00:07:58 2019
Response via : Initial Calibration





#5

Vinyl chloride

Concen: 3.307 ug/L

RT: 1.40 min Scan# 97

Delta R.T. 0.00 min

Lab File: VU029565.D

Acq: 19 Feb 2019 19:14

Instrument :

MSVOA_U

ClientSampleId :





ESXE8DL

Tot Ion: 62 Resp: 67671

Ion Ratio Lower Upper

62 100

64 35.6 23.5 43.7



#22

cis-1,2-Dichloroethene

Concen: 7.962 ug/L

RT: 4.22 min Scan# 974

Delta R.T. 0.00 min

Lab File: VU029565.D

Acq: 19 Feb 2019 19:14

Tgt Ion: 96 Resp: 136571

Ion Ratio Lower Upper

96 100

61 118.0 79.9 148.5

68 0.0 0.0 0.0

