

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU021919\
 Data File : VU029568.D
 Acq On : 19 Feb 2019 20:48
 Operator : JC/SP
 Sample : K1488-03
 Misc : 25.0mL/MSVOA U/WATER
 ALS Vial : 26 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 ESXC9

Quant Time: Feb 20 09:30:37 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMUTR021219WMA.M
 Quant Title : TRACE VOA SOM01.0
 QLast Update : Wed Feb 20 00:07:58 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	5.88	114	204299	5.00	ug/L	0.00
28) Chlorobenzene-d5	9.09	117	200587	5.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.48	152	105485	5.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.40	65	50577	3.68	ug/L	0.00
Spiked Amount	5.000	Range	40 - 130	Recovery	=	73.60%
7) Chloroethane-d5	1.68	69	47490	3.92	ug/L	0.00
Spiked Amount	5.000	Range	65 - 130	Recovery	=	78.40%
11) 1,1-Dichloroethene-d2	2.27	63	83346	2.79	ug/L	0.00
Spiked Amount	5.000	Range	60 - 125	Recovery	=	55.80%#
20) 2-Butanone-d5	4.19	46	147847	51.80	ug/L	0.00
Spiked Amount	50.000	Range	40 - 130	Recovery	=	103.60%
24) Chloroform-d	4.65	84	81580	3.74	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	74.80%
26) 1,2-Dichloroethane-d4	5.31	65	56094	4.82	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	96.40%
32) Benzene-d6	5.34	84	204103	4.23	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	84.60%
36) 1,2-Dichloropropane-d6	6.33	67	66452	4.66	ug/L	0.00
Spiked Amount	5.000	Range	60 - 140	Recovery	=	93.20%
41) Toluene-d8	7.56	98	195990	4.12	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	82.40%
43) trans-1,3-Dichloropropene-	7.85	79	23322	3.66	ug/L	0.00
Spiked Amount	5.000	Range	55 - 130	Recovery	=	73.20%
46) 2-Hexanone-d5	8.31	63	148203	50.56	ug/L	0.00
Spiked Amount	50.000	Range	45 - 130	Recovery	=	101.12%
57) 1,1,2,2-Tetrachloroethane-	10.43	84	59569	4.81	ug/L	0.00
Spiked Amount	5.000	Range	65 - 120	Recovery	=	96.20%
64) 1,2-Dichlorobenzene-d4	11.86	152	90163	4.63	ug/L	0.00
Spiked Amount	5.000	Range	80 - 120	Recovery	=	92.60%


Target Compounds					Ovalue
25) Chloroform	4.67	83	23136	0.856 ug/L	90




(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU021919\
Data File : VU029568.D
Acq On : 19 Feb 2019 20:48
Operator : JC/SP
Sample : K1488-03
Misc : 25.0mL/MSVOA U/WATER
ALS Vial : 26 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
ESXC9

Quant Time: Feb 20 09:30:37 2019
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMUTR021219WMA.M
Quant Title : TRACE VOA SOM01.0
QLast Update : Wed Feb 20 00:07:58 2019
Response via : Initial Calibration





#25

Chloroform

Concen: 0.856 ug/L

RT: 4.67 min Scan# 1114

Delta R.T. 0.00 min

Lab File: VU029568.D

Acq: 19 Feb 2019 20:48

Instrument :

MSVOA_U

ClientSampleId :

ESXC9

Tot Ion: 83 Resp: 23136

Ion Ratio Lower Upper

83 100

85 60.5 47.8 88.8

