

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU021920\
 Data File : VU036857.D
 Acq On : 19 Feb 2020 19:21
 Operator : JC/MD
 Sample : L1580-13
 Misc : 25.0mL/MSVOA U/WATER
 ALS Vial : 20 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 DBDK4

Quant Time: Feb 20 06:20:59 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMUTR021220WMA.M
 Quant Title : TRACE VOA SOM01.0
 QLast Update : Thu Feb 20 04:46:21 2020
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	6.29	114	136925	5.00	ug/L	0.00
28) Chlorobenzene-d5	9.44	117	126066	5.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.83	152	54438	5.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.61	65	45632	3.87	ug/L	0.00
Spiked Amount	5.000	Range	40 - 130	Recovery	=	77.40%
7) Chloroethane-d5	1.93	69	43165	4.22	ug/L	0.00
Spiked Amount	5.000	Range	65 - 130	Recovery	=	84.40%
11) 1,1-Dichloroethene-d2	2.59	63	66345	3.37	ug/L	0.00
Spiked Amount	5.000	Range	60 - 125	Recovery	=	67.40%
20) 2-Butanone-d5	4.68	46	123173	49.88	ug/L	0.00
Spiked Amount	50.000	Range	40 - 130	Recovery	=	99.76%
24) Chloroform-d	5.11	84	81175	4.47	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	89.40%
26) 1,2-Dichloroethane-d4	5.74	65	47572	4.57	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	91.40%
32) Benzene-d6	5.76	84	178244	4.65	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	93.00%
36) 1,2-Dichloropropane-d6	6.73	67	57130	4.70	ug/L	0.00
Spiked Amount	5.000	Range	60 - 140	Recovery	=	94.00%
41) Toluene-d8	7.92	98	163754	4.59	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	91.80%
43) trans-1,3-Dichloropropene-	8.20	79	20402	4.31	ug/L	0.00
Spiked Amount	5.000	Range	55 - 130	Recovery	=	86.20%
46) 2-Hexanone-d5	8.66	63	101835	47.16	ug/L	0.00
Spiked Amount	50.000	Range	45 - 130	Recovery	=	94.32%
57) 1,1,2,2-Tetrachloroethane-	10.78	84	42260	4.40	ug/L	0.00
Spiked Amount	5.000	Range	65 - 120	Recovery	=	88.00%
64) 1,2-Dichlorobenzene-d4	12.21	152	51579	4.74	ug/L	0.00
Spiked Amount	5.000	Range	80 - 120	Recovery	=	94.80%


Target Compounds					Ovalue
13) Acetone	2.66	43	4151	1.315 ug/L	97


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA U\DATA\VU021920\
Data File : VU036857.D
Acq On : 19 Feb 2020 19:21
Operator : JC/MD
Sample : L1580-13
Misc : 25.0mL/MSVOA U/WATER
ALS Vial : 20 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
DBDK4

Quant Time: Feb 20 06:20:59 2020
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_U\METHOD\SOMUTR021220WMA.M
Quant Title : TRACE VOA SOM01.0
QLast Update : Thu Feb 20 04:46:21 2020
Response via : Initial Calibration





#13
 Acetone
 Concen: 1.315 ug/L
 RT: 2.66 min Scan# 412
 Delta R.T. -0.01 min
 Lab File: VU036857.D
 Acq: 19 Feb 2020 19:21

Instrument :
 MSVOA_U
 ClientSampleId :
 DBDK4

Tot Ion: 43 Resp: 4151
 Ion Ratio Lower Upper
 43 100
 58 30.6 0.0 64.2

