

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU022019\
 Data File : VU029578.D
 Acq On : 20 Feb 2019 14:15
 Operator : JC/SP
 Sample : K1488-14DL 40X
 Misc : 25.0mL/MSVOA U/WATER
 ALS Vial : 9 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 ESXF0DL

Quant Time: Feb 25 02:47:01 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMUTR021219WMA.M
 Quant Title : TRACE VOA SOM01.0
 QLast Update : Thu Feb 21 04:23:07 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	5.88	114	200097	5.00	ug/L	0.00
28) Chlorobenzene-d5	9.09	117	195898	5.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.48	152	101952	5.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.40	65	51556	3.83	ug/L	0.00
Spiked Amount	5.000	Range	40 - 130	Recovery	=	76.60%
7) Chloroethane-d5	1.68	69	49350	4.16	ug/L	0.00
Spiked Amount	5.000	Range	65 - 130	Recovery	=	83.20%
11) 1,1-Dichloroethene-d2	2.27	63	84489	2.89	ug/L	0.00
Spiked Amount	5.000	Range	60 - 125	Recovery	=	57.80%#
20) 2-Butanone-d5	4.19	46	167167	59.80	ug/L	0.00
Spiked Amount	50.000	Range	40 - 130	Recovery	=	119.60%
24) Chloroform-d	4.64	84	95426	4.46	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	89.20%
26) 1,2-Dichloroethane-d4	5.31	65	60161	5.28	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	105.60%
32) Benzene-d6	5.34	84	218420	4.64	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	92.80%
36) 1,2-Dichloropropane-d6	6.33	67	70417	5.06	ug/L	0.00
Spiked Amount	5.000	Range	60 - 140	Recovery	=	101.20%
41) Toluene-d8	7.56	98	202133	4.35	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	87.00%
43) trans-1,3-Dichloropropene-	7.85	79	25649	4.13	ug/L	0.00
Spiked Amount	5.000	Range	55 - 130	Recovery	=	82.60%
46) 2-Hexanone-d5	8.31	63	162994	56.94	ug/L	0.00
Spiked Amount	50.000	Range	45 - 130	Recovery	=	113.88%
57) 1,1,2,2-Tetrachloroethane-	10.43	84	65413	5.41	ug/L	0.00
Spiked Amount	5.000	Range	65 - 120	Recovery	=	108.20%
64) 1,2-Dichlorobenzene-d4	11.86	152	93618	4.98	ug/L	0.00
Spiked Amount	5.000	Range	80 - 120	Recovery	=	99.60%

Target Compounds					Ovalue
5) Vinyl chloride	1.40	62	182401	9.465 ug/L	98
22) cis-1,2-Dichloroethene	4.22	96	134155	8.306 ug/L	97
47) Tetrachloroethene	8.22	164	14960	1.007 ug/L	97

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA U\DATA\VU022019\
Data File : VU029578.D
Acq On : 20 Feb 2019 14:15
Operator : JC/SP
Sample : K1488-14DL 40X
Misc : 25.0mL/MSVOA U/WATER
ALS Vial : 9 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
ESXF0DL

Quant Time: Feb 25 02:47:01 2019
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_U\METHOD\SOMUTR021219WMA.M
Quant Title : TRACE VOA SOM01.0
QLast Update : Thu Feb 21 04:23:07 2019
Response via : Initial Calibration

