

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU022219\
 Data File : VU029625.D
 Acq On : 22 Feb 2019 17:23
 Operator : JC/SP
 Sample : K1581-16
 Misc : 5.0mL/MSVOA U/WATER
 ALS Vial : 24 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 DB626

Quant Time: Feb 22 23:19:09 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM021519WMA.M
 Quant Title : VOC Analysis
 QLast Update : Fri Feb 22 23:08:46 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	5.88	114	466988	50.00	ug/L	0.00
28) Chlorobenzene-d5	9.09	117	450149	50.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.48	152	218698	50.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.40	65	125544	36.69	ug/L	0.00
Spiked Amount	50.000	Range	60 - 135	Recovery	=	73.38%
7) Chloroethane-d5	1.68	69	116591	38.33	ug/L	0.00
Spiked Amount	50.000	Range	70 - 130	Recovery	=	76.66%
11) 1,1-Dichloroethene-d2	2.27	63	188538	28.19	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	56.38%#
21) 2-Butanone-d5	4.17	46	207912	99.84	ug/L	0.00
Spiked Amount	100.000	Range	40 - 130	Recovery	=	99.84%
24) Chloroform-d	4.65	84	251770	45.36	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	90.72%
26) 1,2-Dichloroethane-d4	5.31	65	158895	45.22	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	90.44%
32) Benzene-d6	5.34	84	515458	45.51	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	91.02%
36) 1,2-Dichloropropane-d6	6.33	67	164408	48.24	ug/L	0.00
Spiked Amount	50.000	Range	70 - 120	Recovery	=	96.48%
41) Toluene-d8	7.56	98	480815	41.59	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	83.18%
43) trans-1,3-Dichloropropene-	7.85	79	74008	40.94	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	81.88%
47) 2-Hexanone-d5	8.31	63	177465	93.51	ug/L	0.00
Spiked Amount	100.000	Range	45 - 130	Recovery	=	93.51%
57) 1,1,2,2-Tetrachloroethane-	10.43	84	257033	44.64	ug/L	0.00
Spiked Amount	50.000	Range	65 - 120	Recovery	=	89.28%
64) 1,2-Dichlorobenzene-d4	11.86	152	208084	44.15	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	88.30%

Target Compounds	Ovalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA U\DATA\VU022219\
Data File : VU029625.D
Acq On : 22 Feb 2019 17:23
Operator : JC/SP
Sample : K1581-16
Misc : 5.0mL/MSVOA U/WATER
ALS Vial : 24 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
DB626

Quant Time: Feb 22 23:19:09 2019
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM021519WMA.M
Quant Title : VOC Analysis
QLast Update : Fri Feb 22 23:08:46 2019
Response via : Initial Calibration

