

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU022219\
 Data File : VU029636.D
 Acq On : 22 Feb 2019 21:39
 Operator : JC/SP
 Sample : K1581-17
 Misc : 5.0mL/MSVOA U/WATER
 ALS Vial : 35 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 DB627

Quant Time: Feb 22 23:57:19 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM021519WMA.M
 Quant Title : VOC Analysis
 QLast Update : Fri Feb 22 23:08:46 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	5.88	114	482417	50.00	ug/L	0.00
28) Chlorobenzene-d5	9.09	117	459388	50.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.48	152	231204	50.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.40	65	130364	36.88	ug/L	0.00
Spiked Amount	50.000	Range	60 - 135	Recovery	=	73.76%
7) Chloroethane-d5	1.68	69	121417	38.64	ug/L	0.00
Spiked Amount	50.000	Range	70 - 130	Recovery	=	77.28%
11) 1,1-Dichloroethene-d2	2.27	63	186741	27.03	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	54.06%#
21) 2-Butanone-d5	4.17	46	227564	105.78	ug/L	0.00
Spiked Amount	100.000	Range	40 - 130	Recovery	=	105.78%
24) Chloroform-d	4.65	84	258792	45.14	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	90.28%
26) 1,2-Dichloroethane-d4	5.31	65	169013	46.56	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	93.12%
32) Benzene-d6	5.34	84	546052	47.24	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	94.48%
36) 1,2-Dichloropropane-d6	6.33	67	172666	49.65	ug/L	0.00
Spiked Amount	50.000	Range	70 - 120	Recovery	=	99.30%
41) Toluene-d8	7.56	98	506335	42.92	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	85.84%
43) trans-1,3-Dichloropropene-	7.85	79	78898	42.77	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	85.54%
47) 2-Hexanone-d5	8.31	63	192333	99.31	ug/L	0.00
Spiked Amount	100.000	Range	45 - 130	Recovery	=	99.31%
57) 1,1,2,2-Tetrachloroethane-	10.43	84	275246	46.84	ug/L	0.00
Spiked Amount	50.000	Range	65 - 120	Recovery	=	93.68%
64) 1,2-Dichlorobenzene-d4	11.86	152	224379	45.03	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	90.06%


Target Compounds					Ovalue
33) Benzene	5.39	78	8439	0.717 ug/L	100


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA U\DATA\VU022219\
Data File : VU029636.D
Acq On : 22 Feb 2019 21:39
Operator : JC/SP
Sample : K1581-17
Misc : 5.0mL/MSVOA U/WATER
ALS Vial : 35 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
DB627

Quant Time: Feb 22 23:57:19 2019
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM021519WMA.M
Quant Title : VOC Analysis
QLast Update : Fri Feb 22 23:08:46 2019
Response via : Initial Calibration





#33

Benzene

Concen: 0.717 ug/L

RT: 5.39 min Scan# 1336

Delta R.T. 0.00 min

Lab File: VU029636.D

Acq: 22 Feb 2019 21:39

Instrument :

MSVOA_U

ClientSampleId :

DB627

Tgt Ion: 78 Resp: 8439

