

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU022224\
 Data File : VU057924.D
 Acq On : 22 Feb 2024 14:57
 Operator : MD/SY
 Sample : P1567-01
 Misc : 5.0mL/MSVOA_U/WATER
 ALS Vial : 8 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :

Quant Time: Feb 23 00:04:41 2024
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMULM021924WMA.M
 Quant Title : VOC Analysis
 QLast Update : Fri Feb 23 00:03:12 2024
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) 1,4-Difluorobenzene	6.242	114	282508	50.000	ug/L	0.00
28) Chlorobenzene-d5	9.412	117	270252	50.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	11.807	152	123974	50.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	1.595	65	80491	39.354	ug/L	0.00
Spiked Amount 50.000	Range 60 - 135		Recovery =	78.700%		
7) Chloroethane-d5	1.907	69	65457	43.300	ug/L	0.00
Spiked Amount 50.000	Range 70 - 130		Recovery =	86.600%		
11) 1,1-Dichloroethene-d2	2.560	63	114024	29.914	ug/L	0.00
Spiked Amount 50.000	Range 60 - 125		Recovery =	59.820%#		
21) 2-Butanone-d5	4.608	46	91760	118.078	ug/L	0.00
Spiked Amount 100.000	Range 40 - 130		Recovery =	118.080%		
24) Chloroform-d	5.052	84	151500	43.683	ug/L	0.00
Spiked Amount 50.000	Range 70 - 125		Recovery =	87.360%		
26) 1,2-Dichloroethane-d4	5.692	65	102200	47.009	ug/L	0.00
Spiked Amount 50.000	Range 70 - 125		Recovery =	94.020%		
32) Benzene-d6	5.718	84	311086	45.932	ug/L	0.00
Spiked Amount 50.000	Range 70 - 125		Recovery =	91.860%		
36) 1,2-Dichloropropane-d6	6.682	67	102870	47.039	ug/L	0.00
Spiked Amount 50.000	Range 70 - 120		Recovery =	94.080%		
41) Toluene-d8	7.891	98	273763	44.654	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery =	89.300%		
43) trans-1,3-Dichloroprop...	8.174	79	44372	42.607	ug/L	0.00
Spiked Amount 50.000	Range 60 - 125		Recovery =	85.220%		
47) 2-Hexanone-d5	8.627	63	66505	79.104	ug/L	0.00
Spiked Amount 100.000	Range 45 - 130		Recovery =	79.100%		
56) 1,1,2,2-Tetrachloroeth...	10.749	84	125380	41.548	ug/L	0.00
Spiked Amount 50.000	Range 65 - 120		Recovery =	83.100%		
66) 1,2-Dichlorobenzene-d4	12.187	152	90924	45.294	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery =	90.580%		
Target Compounds						Qvalue
60) 1,2,3-Trichloropropane	11.804	75	17204	5.990	ug/L	# 69


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU022224\
Data File : VU057924.D
Acq On : 22 Feb 2024 14:57
Operator : MD/SY
Sample : P1567-01
Misc : 5.0mL/MSVOA_U/WATER
ALS Vial : 8 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :


Quant Time: Feb 23 00:04:41 2024
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMULM021924WMA.M
Quant Title : VOC Analysis
QLast Update : Fri Feb 23 00:03:12 2024
Response via : Initial Calibration





#60
 1,2,3-Trichloropropane
 Concen: 5.990 ug/L
 RT: 11.804 min Scan# 31
 Delta R.T. 0.990 min
 Lab File: VU057924.D
 Acq: 22 Feb 2024 14:57

Instrument :
 MSVOA_U
 ClientSampleId :



Tgt Ion: 75	Resp:	17204
Ion	Ratio	Lower Upper
75	100	
77	33.8	25.9 38.9
110	1.8	28.3 42.5#

