

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU022224\
 Data File : VU057933.D
 Acq On : 22 Feb 2024 18:36
 Operator : MD/SY
 Sample : P1567-10
 Misc : 5.0mL/MSVOA_U/WATER
 ALS Vial : 17 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 JWAB8

Quant Time: Feb 23 00:06:31 2024
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMULM021924WMA.M
 Quant Title : VOC Analysis
 QLast Update : Fri Feb 23 00:03:12 2024
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) 1,4-Difluorobenzene	6.242	114	275280	50.000	ug/L	0.00
28) Chlorobenzene-d5	9.412	117	263866	50.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	11.807	152	120520	50.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	1.592	65	78132	39.204	ug/L	0.00
Spiked Amount 50.000	Range 60 - 135		Recovery =	78.400%		
7) Chloroethane-d5	1.904	69	64180	43.570	ug/L	0.00
Spiked Amount 50.000	Range 70 - 130		Recovery =	87.140%		
11) 1,1-Dichloroethene-d2	2.557	63	110480	29.746	ug/L	0.00
Spiked Amount 50.000	Range 60 - 125		Recovery =	59.500%#		
21) 2-Butanone-d5	4.612	46	88279	116.582	ug/L	0.00
Spiked Amount 100.000	Range 40 - 130		Recovery =	116.580%		
24) Chloroform-d	5.052	84	150996	44.681	ug/L	0.00
Spiked Amount 50.000	Range 70 - 125		Recovery =	89.360%		
26) 1,2-Dichloroethane-d4	5.692	65	101781	48.045	ug/L	0.00
Spiked Amount 50.000	Range 70 - 125		Recovery =	96.100%		
32) Benzene-d6	5.718	84	300607	45.459	ug/L	0.00
Spiked Amount 50.000	Range 70 - 125		Recovery =	90.920%		
36) 1,2-Dichloropropane-d6	6.682	67	100587	47.108	ug/L	0.00
Spiked Amount 50.000	Range 70 - 120		Recovery =	94.220%		
41) Toluene-d8	7.891	98	262506	43.854	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery =	87.700%		
43) trans-1,3-Dichloroprop...	8.174	79	44441	43.706	ug/L	0.00
Spiked Amount 50.000	Range 60 - 125		Recovery =	87.420%		
47) 2-Hexanone-d5	8.628	63	67086	81.727	ug/L	0.00
Spiked Amount 100.000	Range 45 - 130		Recovery =	81.730%		
56) 1,1,2,2-Tetrachloroeth...	10.750	84	125552	42.612	ug/L	0.00
Spiked Amount 50.000	Range 65 - 120		Recovery =	85.220%		
66) 1,2-Dichlorobenzene-d4	12.187	152	90382	46.314	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery =	92.620%		
Target Compounds					Qvalue	
34) Trichloroethene	6.538	95	2741	1.159	ug/L #	74


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU022224\
Data File : VU057933.D
Acq On : 22 Feb 2024 18:36
Operator : MD/SY
Sample : P1567-10
Misc : 5.0mL/MSVOA_U/WATER
ALS Vial : 17 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
JWAB8

Quant Time: Feb 23 00:06:31 2024
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMULM021924WMA.M
Quant Title : VOC Analysis
QLast Update : Fri Feb 23 00:03:12 2024
Response via : Initial Calibration





#34
 Trichloroethene
 Concen: 1.159 ug/L
 RT: 6.538 min Scan# 1
 Delta R.T. 0.003 min
 Lab File: VU057933.D
 Acq: 22 Feb 2024 18:36

Instrument :
 MSVOA_U
 ClientSampleId :
 JWAB8

Tgt Ion: 95 Resp: 2741

Ion	Ratio	Lower	Upper
95	100		
97	38.0	44.2	82.2#
132	65.9	61.4	114.0
130	68.9	63.8	118.4

