

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU022420\
 Data File : VU036887.D
 Acq On : 24 Feb 2020 16:51
 Operator : JC/MD
 Sample : L1608-03DL 5X
 Misc : 5.0mL/MSVOA U/WATER
 ALS Vial : 13 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 C0AP4DL

Quant Time: Feb 25 03:54:14 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM022420WMA.M
 Quant Title : VOC Analysis
 QLast Update : Tue Feb 25 03:18:14 2020
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	6.28	114	276014	50.00	ug/L	0.00
28) Chlorobenzene-d5	9.44	117	254308	50.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.83	152	95550	50.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.61	65	108623	46.86	ug/L	0.00
Spiked Amount	50.000	Range	60 - 135	Recovery	=	93.72%
7) Chloroethane-d5	1.93	69	92843	48.41	ug/L	0.00
Spiked Amount	50.000	Range	70 - 130	Recovery	=	96.82%
11) 1,1-Dichloroethene-d2	2.59	63	140739	36.26	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	72.52%
21) 2-Butanone-d5	4.67	46	159488	102.58	ug/L	0.00
Spiked Amount	100.000	Range	40 - 130	Recovery	=	102.58%
24) Chloroform-d	5.11	84	168615	47.64	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	95.28%
26) 1,2-Dichloroethane-d4	5.74	65	117486	49.05	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	98.10%
32) Benzene-d6	5.76	84	376569	51.20	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	102.40%
36) 1,2-Dichloropropane-d6	6.73	67	122558	51.44	ug/L	0.00
Spiked Amount	50.000	Range	70 - 120	Recovery	=	102.88%
41) Toluene-d8	7.92	98	341211	50.01	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	100.02%
43) trans-1,3-Dichloropropene-	8.20	79	54152	48.91	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	97.82%
47) 2-Hexanone-d5	8.66	63	118894	102.06	ug/L	0.00
Spiked Amount	100.000	Range	45 - 130	Recovery	=	102.06%
57) 1,1,2,2-Tetrachloroethane-	10.77	84	165357	49.23	ug/L	0.00
Spiked Amount	50.000	Range	65 - 120	Recovery	=	98.46%
64) 1,2-Dichlorobenzene-d4	12.21	152	98975	52.99	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	105.98%


Target Compounds					Ovalue
34) Trichloroethene	6.57	95	117829	59.672 ug/L	97


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA U\DATA\VU022420\
Data File : VU036887.D
Acq On : 24 Feb 2020 16:51
Operator : JC/MD
Sample : L1608-03DL 5X
Misc : 5.0mL/MSVOA U/WATER
ALS Vial : 13 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
C0AP4DL

Quant Time: Feb 25 03:54:14 2020
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM022420WMA.M
Quant Title : VOC Analysis
QLast Update : Tue Feb 25 03:18:14 2020
Response via : Initial Calibration





#34

Trichloroethene

Concen: 59.672 ug/L

RT: 6.57 min Scan# 1628

Delta R.T. -0.00 min

Lab File: VU036887.D


Acq: 24 Feb 2020 16:51

Instrument :

MSVOA_U

ClientSampleId :

C0AP4DL



Tot Ion: 95 Resp: 117829

Ion Ratio Lower Upper

95 100

97 64.9 44.1 81.9

132 89.7 60.6 112.6

130 95.6 64.9 120.5

Abundance Ion 95.00 (94.70 to 95.70): VU0

Ion 97.00 (96.70 to 97.70): VU0

Ion 132.00 (131.70 to 132.70): V

Ion 130.00 (129.70 to 130.70): V

