

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU022519\
 Data File : VU029660.D
 Acq On : 25 Feb 2019 16:04
 Operator : JC/SP
 Sample : K1600-01
 Misc : 5.0mL/MSVOA U/WATER
 ALS Vial : 16 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 BF7Y4

Quant Time: Feb 26 01:15:26 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM021519WMA.M
 Quant Title : VOC Analysis
 QLast Update : Tue Feb 26 00:12:24 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	5.88	114	476901	50.00	ug/L	0.00
28) Chlorobenzene-d5	9.09	117	453267	50.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.48	152	224930	50.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.40	65	136740	39.13	ug/L	0.00
Spiked Amount	50.000	Range	60 - 135	Recovery	=	78.26%
7) Chloroethane-d5	1.68	69	123295	39.69	ug/L	0.00
Spiked Amount	50.000	Range	70 - 130	Recovery	=	79.38%
11) 1,1-Dichloroethene-d2	2.27	63	194870	28.53	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	57.06%#
21) 2-Butanone-d5	4.17	46	202822	95.37	ug/L	0.00
Spiked Amount	100.000	Range	40 - 130	Recovery	=	95.37%
24) Chloroform-d	4.65	84	244670	43.17	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	86.34%
26) 1,2-Dichloroethane-d4	5.31	65	161207	44.92	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	89.84%
32) Benzene-d6	5.34	84	550102	48.23	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	96.46%
36) 1,2-Dichloropropane-d6	6.33	67	166855	48.63	ug/L	0.00
Spiked Amount	50.000	Range	70 - 120	Recovery	=	97.26%
41) Toluene-d8	7.56	98	516514	44.38	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	88.76%
43) trans-1,3-Dichloropropene-	7.85	79	76695	42.14	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	84.28%
47) 2-Hexanone-d5	8.31	63	154957	81.09	ug/L	0.00
Spiked Amount	100.000	Range	45 - 130	Recovery	=	81.09%
57) 1,1,2,2-Tetrachloroethane-	10.43	84	252181	43.49	ug/L	0.00
Spiked Amount	50.000	Range	65 - 120	Recovery	=	86.98%
64) 1,2-Dichlorobenzene-d4	11.86	152	214815	44.32	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	88.64%

Target Compounds	Ovalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA U\DATA\VU022519\
Data File : VU029660.D
Acq On : 25 Feb 2019 16:04
Operator : JC/SP
Sample : K1600-01
Misc : 5.0mL/MSVOA U/WATER
ALS Vial : 16 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
BF7Y4

Quant Time: Feb 26 01:15:26 2019
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM021519WMA.M
Quant Title : VOC Analysis
QLast Update : Tue Feb 26 00:12:24 2019
Response via : Initial Calibration

