

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU022519\
 Data File : VU029668.D
 Acq On : 25 Feb 2019 19:09
 Operator : JC/SP
 Sample : K1602-11
 Misc : 5.0mL/MSVOA U/WATER
 ALS Vial : 24 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 VHBLK01

Quant Time: Feb 26 01:31:30 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM021519WMA.M
 Quant Title : VOC Analysis
 QLast Update : Tue Feb 26 00:12:24 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	5.88	114	498478	50.00	ug/L	0.00
28) Chlorobenzene-d5	9.09	117	475917	50.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.48	152	236300	50.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.40	65	153722	42.08	ug/L	0.00
Spiked Amount	50.000	Range	60 - 135	Recovery	=	84.16%
7) Chloroethane-d5	1.68	69	132521	40.81	ug/L	0.00
Spiked Amount	50.000	Range	70 - 130	Recovery	=	81.62%
11) 1,1-Dichloroethene-d2	2.27	63	221131	30.97	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	61.94%
21) 2-Butanone-d5	4.17	46	215734	97.05	ug/L	0.00
Spiked Amount	100.000	Range	40 - 130	Recovery	=	97.05%
24) Chloroform-d	4.65	84	266949	45.06	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	90.12%
26) 1,2-Dichloroethane-d4	5.31	65	169896	45.29	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	90.58%
32) Benzene-d6	5.34	84	590832	49.34	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	98.68%
36) 1,2-Dichloropropane-d6	6.33	67	178406	49.52	ug/L	0.00
Spiked Amount	50.000	Range	70 - 120	Recovery	=	99.04%
41) Toluene-d8	7.56	98	561455	45.94	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	91.88%
43) trans-1,3-Dichloropropene-	7.85	79	82516	43.18	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	86.36%
47) 2-Hexanone-d5	8.31	63	164809	82.14	ug/L	0.00
Spiked Amount	100.000	Range	45 - 130	Recovery	=	82.14%
57) 1,1,2,2-Tetrachloroethane-	10.43	84	269726	44.31	ug/L	0.00
Spiked Amount	50.000	Range	65 - 120	Recovery	=	88.62%
64) 1,2-Dichlorobenzene-d4	11.86	152	231189	45.40	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	90.80%

Target Compounds	Ovalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA U\DATA\VU022519\
Data File : VU029668.D
Acq On : 25 Feb 2019 19:09
Operator : JC/SP
Sample : K1602-11
Misc : 5.0mL/MSVOA U/WATER
ALS Vial : 24 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
VHBLK01

Quant Time: Feb 26 01:31:30 2019
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM021519WMA.M
Quant Title : VOC Analysis
QLast Update : Tue Feb 26 00:12:24 2019
Response via : Initial Calibration

