

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU022520\
 Data File : VU036904.D
 Acq On : 25 Feb 2020 13:58
 Operator : JC/MD
 Sample : L1677-06
 Misc : 5.0mL/MSVOA U/WATER
 ALS Vial : 9 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 C0CD4

Quant Time: Feb 26 03:15:59 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM022420WMA.M
 Quant Title : VOC Analysis
 QLast Update : Wed Feb 26 01:28:52 2020
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	6.29	114	256672	50.00	ug/L	0.00
28) Chlorobenzene-d5	9.44	117	238082	50.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.83	152	87606	50.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.61	65	99786	46.29	ug/L	0.00
Spiked Amount	50.000	Range	60 - 135	Recovery	=	92.58%
7) Chloroethane-d5	1.93	69	88890	49.84	ug/L	0.00
Spiked Amount	50.000	Range	70 - 130	Recovery	=	99.68%
11) 1,1-Dichloroethene-d2	2.59	63	129385	35.85	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	71.70%
21) 2-Butanone-d5	4.67	46	148192	102.50	ug/L	0.00
Spiked Amount	100.000	Range	40 - 130	Recovery	=	102.50%
24) Chloroform-d	5.11	84	160887	48.88	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	97.76%
26) 1,2-Dichloroethane-d4	5.74	65	111792	50.19	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	100.38%
32) Benzene-d6	5.76	84	359888	52.27	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	104.54%
36) 1,2-Dichloropropane-d6	6.73	67	117138	52.52	ug/L	0.00
Spiked Amount	50.000	Range	70 - 120	Recovery	=	105.04%
41) Toluene-d8	7.92	98	324613	50.82	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	101.64%
43) trans-1,3-Dichloropropene-	8.20	79	49350	47.61	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	95.22%
47) 2-Hexanone-d5	8.66	63	111756	102.47	ug/L	0.00
Spiked Amount	100.000	Range	45 - 130	Recovery	=	102.47%
57) 1,1,2,2-Tetrachloroethane-	10.78	84	156344	49.72	ug/L	0.00
Spiked Amount	50.000	Range	65 - 120	Recovery	=	99.44%
64) 1,2-Dichlorobenzene-d4	12.21	152	94489	55.17	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	110.34%


Target Compounds					Ovalue
13) Acetone	2.66	43	3212	2.160 ug/L	94


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA U\DATA\VU022520\
Data File : VU036904.D
Acq On : 25 Feb 2020 13:58
Operator : JC/MD
Sample : L1677-06
Misc : 5.0mL/MSVOA U/WATER
ALS Vial : 9 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
C0CD4

Quant Time: Feb 26 03:15:59 2020
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM022420WMA.M
Quant Title : VOC Analysis
QLast Update : Wed Feb 26 01:28:52 2020
Response via : Initial Calibration





#13

Acetone

Concen: 2.160 ug/L

RT: 2.66 min Scan# 410

Delta R.T. 0.00 min

Lab File: VU036904.D

Acq: 25 Feb 2020 13:58

Instrument :
MSVOA_U
ClientSampleId :
C0CD4

Tot Ion: 43 Resp: 3212

Ion Ratio Lower Upper

43 100

58 29.1 0.0 64.6

