

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU022520\
 Data File : VU036898.D
 Acq On : 25 Feb 2020 11:02
 Operator : JC/MD
 Sample : VU0225WBL01
 Misc : 5.0mL/MSVOA U/WATER
 ALS Vial : 3 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 VBLK58

Integration Parameters: LSCINT.P

Integrator: RTE
 Smoothing : OFF
 Sampling : 1
 Start Thrs: 0.2
 Stop Thrs : 0

Filtering: 5
 Min Area: 0 % of largest Peak
 Max Peaks: 100
 Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >
 Peak separation: 5

Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM022420WMA.M
 Title : VOC Analysis

Signal : TIC

peak #	R.T. min	first scan	max scan	last scan	PK TY	peak height	corr. area	corr. % max.	% of total
1	1.613	78	85	98	rVB	157569	168447	15.59%	2.083%
2	1.928	175	183	200	rVB	126368	166629	15.42%	2.061%
3	2.591	377	389	406	rBV	224098	368125	34.06%	4.552%
4	2.941	495	498	502	rBV2	165	130	0.01%	0.002%
5	3.076	534	540	551	rVV4	1114	1723	0.16%	0.021%
6	3.305	606	611	614	rBV2	262	248	0.02%	0.003%
7	3.395	632	639	643	rBV3	777	1149	0.11%	0.014%
8	3.565	687	692	694	rBV	207	167	0.02%	0.002%
9	3.806	762	767	769	rBV	185	115	0.01%	0.001%
10	3.838	769	777	780	rBV2	225	248	0.02%	0.003%
11	3.970	813	818	820	rBV2	169	146	0.01%	0.002%
12	4.044	839	841	845	rVB2	167	120	0.01%	0.001%
13	4.073	845	850	852	rBV2	177	180	0.02%	0.002%
14	4.112	860	862	867	rVB2	136	112	0.01%	0.001%
15	4.134	867	869	871	rBV2	199	114	0.01%	0.001%
16	4.279	911	914	916	rBV2	183	114	0.01%	0.001%
17	4.321	925	927	931	rVB2	172	135	0.01%	0.002%
18	4.350	931	936	941	rBV	222	218	0.02%	0.003%
19	4.391	946	949	951	rBV2	175	137	0.01%	0.002%
20	4.430	958	961	963	rBV	203	107	0.01%	0.001%
21	4.446	963	966	969	rBV2	208	179	0.02%	0.002%
22	4.514	985	987	988	rBV	295	120	0.01%	0.001%
23	4.562	1000	1002	1006	rVB2	240	156	0.01%	0.002%
24	4.597	1009	1013	1015	rBV2	206	154	0.01%	0.002%
25	4.613	1015	1018	1021	rBV2	196	129	0.01%	0.002%
26	4.671	1021	1036	1057	rBV	108388	252479	23.36%	3.122%
27	5.002	1136	1139	1142	rVB2	325	207	0.02%	0.003%
28	5.025	1142	1146	1151	rVB3	303	315	0.03%	0.004%
29	5.105	1151	1171	1194	rBV	183809	403467	37.33%	4.989%
30	5.321	1236	1238	1239	rBV	401	134	0.01%	0.002%
31	5.401	1260	1263	1264	rBV	254	148	0.01%	0.002%
32	5.417	1264	1268	1275	rVB4	703	1024	0.09%	0.013%
33	5.494	1289	1292	1296	rVB2	233	169	0.02%	0.002%
34	5.520	1296	1300	1304	rVB	237	158	0.01%	0.002%

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU022520\
 Data File : VU036898.D
 Acq On : 25 Feb 2020 11:02
 Operator : JC/MD
 Sample : VU0225WBL01
 Misc : 5.0mL/MSVOA U/WATER
 ALS Vial : 3 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 VBLK58

Integration Parameters: LSCINT.P

Integrator: RTE
 Smoothing : OFF
 Sampling : 1
 Start Thrs: 0.2
 Stop Thrs : 0

Filtering: 5
 Min Area: 0 % of largest Peak
 Max Peaks: 100
 Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >
 Peak separation: 5

Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM022420WMA.M
 Title : VOC Analysis

35	5.555	1308	1311	1312	rVV	294	154	0.01%	0.002%
36	5.565	1312	1314	1317	rVV	469	243	0.02%	0.003%
37	5.587	1317	1321	1324	rVB	165	146	0.01%	0.002%
38	5.613	1324	1329	1333	rBV2	234	255	0.02%	0.003%
39	5.764	1354	1376	1402	rBV2	414256	1080686	100.00%	13.364%
40	6.099	1478	1480	1484	rBV2	175	127	0.01%	0.002%
41	6.157	1492	1498	1500	rBV2	492	567	0.05%	0.007%
42	6.202	1508	1512	1514	rBV	155	109	0.01%	0.001%
43	6.285	1522	1538	1558	rBV	348589	646662	59.84%	7.997%
44	6.465	1591	1594	1599	rBV3	193	159	0.01%	0.002%
45	6.565	1616	1625	1634	rVB7	3551	6132	0.57%	0.076%
46	6.623	1641	1643	1644	rBV7	299	124	0.01%	0.002%
47	6.726	1658	1675	1692	rBV	255028	491002	45.43%	6.072%
48	6.880	1721	1723	1728	rVB3	190	136	0.01%	0.002%
49	6.928	1735	1738	1743	rBV2	221	208	0.02%	0.003%
50	6.954	1743	1746	1749	rBV2	156	112	0.01%	0.001%
51	6.999	1757	1760	1764	rBV	157	147	0.01%	0.002%
52	7.054	1774	1777	1780	rBV	160	140	0.01%	0.002%
53	7.134	1798	1802	1806	rBV	451	460	0.04%	0.006%
54	7.198	1819	1822	1825	rBV2	327	264	0.02%	0.003%
55	7.214	1826	1827	1832	rVB3	309	181	0.02%	0.002%
56	7.298	1846	1853	1856	rBV	222	275	0.03%	0.003%
57	7.423	1887	1892	1899	rVB2	278	359	0.03%	0.004%
58	7.478	1906	1909	1912	rVB2	158	116	0.01%	0.001%
59	7.594	1929	1945	1967	rBV	141014	247475	22.90%	3.060%
60	7.822	2009	2016	2026	rVB5	2056	3034	0.28%	0.038%
61	7.925	2032	2048	2063	rBV	503423	867761	80.30%	10.731%
62	8.137	2111	2114	2118	rBV2	185	198	0.02%	0.002%
63	8.205	2123	2135	2158	rBV	97934	165534	15.32%	2.047%
64	8.427	2199	2204	2208	rVB4	717	713	0.07%	0.009%
65	8.526	2232	2235	2237	rVB	184	117	0.01%	0.001%
66	8.546	2237	2241	2245	rBV2	184	228	0.02%	0.003%
67	8.578	2245	2251	2256	rVB3	921	1057	0.10%	0.013%
68	8.600	2256	2258	2260	rBV	165	116	0.01%	0.001%
69	8.661	2264	2277	2306	rBV	306025	572643	52.99%	7.081%
70	8.832	2326	2330	2332	rBV	371	267	0.02%	0.003%
71	8.947	2362	2366	2371	rVB2	433	418	0.04%	0.005%

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU022520\
 Data File : VU036898.D
 Acq On : 25 Feb 2020 11:02
 Operator : JC/MD
 Sample : VU0225WBL01
 Misc : 5.0mL/MSVOA U/WATER
 ALS Vial : 3 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 VBLK58

Integration Parameters: LSCINT.P

Integrator: RTE
 Smoothing : OFF
 Sampling : 1
 Start Thrs: 0.2
 Stop Thrs : 0

Filtering: 5
 Min Area: 0 % of largest Peak
 Max Peaks: 100
 Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >
 Peak separation: 5

Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM022420WMA.M
 Title : VOC Analysis

72	9.086	2407	2409	2412	rBV2	156	113	0.01%	0.001%
73	9.333	2483	2486	2489	rBV2	210	171	0.02%	0.002%
74	9.378	2498	2500	2506	rBV2	161	172	0.02%	0.002%
75	9.439	2506	2519	2543	rBV	477866	788085	72.92%	9.745%
76	9.591	2559	2566	2574	rVB2	1413	2024	0.19%	0.025%
77	9.677	2590	2593	2597	rBV	224	247	0.02%	0.003%
78	9.713	2597	2604	2614	rVV2	1478	2214	0.20%	0.027%
79	9.787	2623	2627	2631	rVB2	225	212	0.02%	0.003%
80	9.851	2644	2647	2649	rBV2	165	114	0.01%	0.001%
81	10.015	2693	2698	2700	rBV	179	193	0.02%	0.002%
82	10.124	2723	2732	2742	rVB5	2537	4469	0.41%	0.055%
83	10.504	2843	2850	2857	rVV3	1370	1709	0.16%	0.021%
84	10.777	2921	2935	2952	rVV	315566	516988	47.84%	6.393%
85	10.980	2996	2998	3000	rBV	225	130	0.01%	0.002%
86	11.076	3026	3028	3031	rBV	186	128	0.01%	0.002%
87	11.108	3031	3038	3049	rVV3	1187	1793	0.17%	0.022%
88	11.211	3067	3070	3075	rBV2	195	143	0.01%	0.002%
89	11.407	3126	3131	3132	rBV	291	213	0.02%	0.003%
90	11.568	3177	3181	3183	rBV2	208	176	0.02%	0.002%
91	11.764	3235	3242	3250	rVV2	1689	2158	0.20%	0.027%
92	11.828	3250	3262	3282	rVB	387014	641340	59.35%	7.931%
93	12.008	3315	3318	3320	rBV	240	180	0.02%	0.002%
94	12.057	3329	3333	3337	rBV	332	240	0.02%	0.003%
95	12.211	3368	3381	3398	rBV	403490	665850	61.61%	8.234%
96	12.459	3456	3458	3461	rBV2	245	170	0.02%	0.002%
97	12.555	3485	3488	3490	rBV2	343	263	0.02%	0.003%
98	12.783	3556	3559	3563	rBV2	423	310	0.03%	0.004%
99	13.095	3654	3656	3659	rBV	367	243	0.02%	0.003%
100	13.246	3698	3703	3707	rBV3	1325	1096	0.10%	0.014%

Sum of corrected areas: 8086672

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA_U\DATA\VU022520\
Data File : VU036898.D
Acq On : 25 Feb 2020 11:02
Operator : JC/MD
Sample : VU0225WBL01
Misc : 5.0mL/MSVOA_U/WATER
ALS Vial : 3 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
VBLK58

Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM022420WMA.M
Quant Title : VOC Analysis

TIC Library : C:\DATABASE\NIST11.L
TIC Integration Parameters: LSCINT.P

No Library Search Compounds Detected

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA_U\DATA\VU022520\
Data File : VU036898.D
Acq On : 25 Feb 2020 11:02
Operator : JC/MD
Sample : VU0225WBL01
Misc : 5.0mL/MSVOA_U/WATER
ALS Vial : 3 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
VBLK58

Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM022420WMA.M
Quant Title : VOC Analysis

TIC Library : C:\DATABASE\NIST11.L
TIC Integration Parameters: LSCINT.P

TIC Top Hit name	RT	EstConc	Units	Response	---Internal Standard---
					# RT Resp Conc