

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU022620\
 Data File : VU036921.D
 Acq On : 26 Feb 2020 17:34
 Operator : JC/MD
 Sample : L1687-09
 Misc : 5.0mL/MSVOA U/WATER
 ALS Vial : 16 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 C0AS9

Quant Time: Feb 27 06:01:18 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM022420WMA.M
 Quant Title : VOC Analysis
 QLast Update : Thu Feb 27 04:47:27 2020
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	6.29	114	255618	50.00	ug/L	0.00
28) Chlorobenzene-d5	9.44	117	240989	50.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.83	152	92754	50.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.61	65	92519	43.10	ug/L	0.00
Spiked Amount	50.000	Range	60 - 135	Recovery	=	86.20%
7) Chloroethane-d5	1.93	69	84057	47.32	ug/L	0.00
Spiked Amount	50.000	Range	70 - 130	Recovery	=	94.64%
11) 1,1-Dichloroethene-d2	2.59	63	121281	33.74	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	67.48%
21) 2-Butanone-d5	4.67	46	156726	108.85	ug/L	0.00
Spiked Amount	100.000	Range	40 - 130	Recovery	=	108.85%
24) Chloroform-d	5.11	84	158395	48.32	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	96.64%
26) 1,2-Dichloroethane-d4	5.74	65	112047	50.51	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	101.02%
32) Benzene-d6	5.76	84	343562	49.30	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	98.60%
36) 1,2-Dichloropropane-d6	6.72	67	114002	50.49	ug/L	0.00
Spiked Amount	50.000	Range	70 - 120	Recovery	=	100.98%
41) Toluene-d8	7.92	98	308912	47.78	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	95.56%
43) trans-1,3-Dichloropropene-	8.20	79	49613	47.28	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	94.56%
47) 2-Hexanone-d5	8.66	63	111318	100.84	ug/L	0.00
Spiked Amount	100.000	Range	45 - 130	Recovery	=	100.84%
57) 1,1,2,2-Tetrachloroethane-	10.77	84	158964	49.94	ug/L	0.00
Spiked Amount	50.000	Range	65 - 120	Recovery	=	99.88%
64) 1,2-Dichlorobenzene-d4	12.21	152	93129	51.36	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	102.72%


Target Compounds					Ovalue
13) Acetone	2.65	43	3524	2.379 ug/L	98


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA U\DATA\VU022620\
Data File : VU036921.D
Acq On : 26 Feb 2020 17:34
Operator : JC/MD
Sample : L1687-09
Misc : 5.0mL/MSVOA U/WATER
ALS Vial : 16 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
C0AS9

Quant Time: Feb 27 06:01:18 2020
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM022420WMA.M
Quant Title : VOC Analysis
QLast Update : Thu Feb 27 04:47:27 2020
Response via : Initial Calibration





#13
 Acetone
 Concen: 2.379 ug/L
 RT: 2.65 min Scan# 409
 Delta R.T. -0.00 min
 Lab File: VU036921.D
 Acq: 26 Feb 2020 17:34

Instrument :
 MSVOA_U
 ClientSampleId :
 C0AS9

Tot Ion: 43 Resp: 3524
 Ion Ratio Lower Upper
 43 100
 58 31.0 0.0 64.6

