

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU022620\
 Data File : VU036923.D
 Acq On : 26 Feb 2020 18:20
 Operator : JC/MD
 Sample : L1687-11
 Misc : 5.0mL/MSVOA U/WATER
 ALS Vial : 18 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 C0AT1

Quant Time: Feb 27 06:06:31 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM022420WMA.M
 Quant Title : VOC Analysis
 QLast Update : Thu Feb 27 04:47:27 2020
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	6.28	114	253009	50.00	ug/L	0.00
28) Chlorobenzene-d5	9.44	117	238387	50.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.83	152	91348	50.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.61	65	91955	43.28	ug/L	0.00
Spiked Amount	50.000	Range	60 - 135	Recovery	=	86.56%
7) Chloroethane-d5	1.93	69	83870	47.71	ug/L	0.00
Spiked Amount	50.000	Range	70 - 130	Recovery	=	95.42%
11) 1,1-Dichloroethene-d2	2.59	63	120567	33.89	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	67.78%
21) 2-Butanone-d5	4.67	46	155613	109.19	ug/L	0.00
Spiked Amount	100.000	Range	40 - 130	Recovery	=	109.19%
24) Chloroform-d	5.11	84	157899	48.67	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	97.34%
26) 1,2-Dichloroethane-d4	5.74	65	109082	49.68	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	99.36%
32) Benzene-d6	5.76	84	341669	49.56	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	99.12%
36) 1,2-Dichloropropane-d6	6.73	67	113971	51.03	ug/L	0.00
Spiked Amount	50.000	Range	70 - 120	Recovery	=	102.06%
41) Toluene-d8	7.93	98	305611	47.78	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	95.56%
43) trans-1,3-Dichloropropene-	8.20	79	48090	46.33	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	92.66%
47) 2-Hexanone-d5	8.66	63	115443	105.71	ug/L	0.00
Spiked Amount	100.000	Range	45 - 130	Recovery	=	105.71%
57) 1,1,2,2-Tetrachloroethane-	10.77	84	159752	50.73	ug/L	0.00
Spiked Amount	50.000	Range	65 - 120	Recovery	=	101.46%
64) 1,2-Dichlorobenzene-d4	12.21	152	94211	52.76	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	105.52%


Target Compounds					Ovalue
13) Acetone	2.66	43	3046	2.078 ug/L	93


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA U\DATA\VU022620\
Data File : VU036923.D
Acq On : 26 Feb 2020 18:20
Operator : JC/MD
Sample : L1687-11
Misc : 5.0mL/MSVOA U/WATER
ALS Vial : 18 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
C0AT1

Quant Time: Feb 27 06:06:31 2020
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM022420WMA.M
Quant Title : VOC Analysis
QLast Update : Thu Feb 27 04:47:27 2020
Response via : Initial Calibration





#13
 Acetone
 Concen: 2.078 ug/L
 RT: 2.66 min Scan# 409
 Delta R.T. 0.00 min
 Lab File: VU036923.D
 Acq: 26 Feb 2020 18:20

Instrument :
 MSVOA_U
 ClientSampleId :
 C0AT1

Tot Ion: 43 Resp: 3046
 Ion Ratio Lower Upper
 43 100
 58 28.4 0.0 64.6

