

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU022719\
 Data File : VU029682.D
 Acq On : 26 Feb 2019 15:23
 Operator : JC/SP
 Sample : K1625-02
 Misc : 5.0mL/MSVOA U/WATER
 ALS Vial : 5 Sample Multiplier: 1

Quant Time: Feb 27 02:53:11 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM021519WMA.M
 Quant Title : VOC Analysis
 QLast Update : Wed Feb 27 01:53:00 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	5.88	114	470242	50.00	ug/L	0.00
28) Chlorobenzene-d5	9.09	117	453013	50.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.48	152	223815	50.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.40	65	148029	42.96	ug/L	0.00
Spiked Amount	50.000	Range	60 - 135	Recovery	=	85.92%
7) Chloroethane-d5	1.68	69	132762	43.34	ug/L	0.00
Spiked Amount	50.000	Range	70 - 130	Recovery	=	86.68%
11) 1,1-Dichloroethene-d2	2.27	63	228096	33.86	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	67.72%
21) 2-Butanone-d5	4.18	46	220800	105.30	ug/L	0.00
Spiked Amount	100.000	Range	40 - 130	Recovery	=	105.30%
24) Chloroform-d	4.65	84	286083	51.19	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	102.38%
26) 1,2-Dichloroethane-d4	5.31	65	182794	51.66	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	103.32%
32) Benzene-d6	5.34	84	615816	54.02	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	108.04%
36) 1,2-Dichloropropane-d6	6.33	67	191482	55.83	ug/L	0.00
Spiked Amount	50.000	Range	70 - 120	Recovery	=	111.66%
41) Toluene-d8	7.56	98	579176	49.79	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	99.58%
43) trans-1,3-Dichloropropene-	7.85	79	85358	46.92	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	93.84%
47) 2-Hexanone-d5	8.31	63	173488	90.84	ug/L	0.00
Spiked Amount	100.000	Range	45 - 130	Recovery	=	90.84%
57) 1,1,2,2-Tetrachloroethane-	10.43	84	284261	49.05	ug/L	0.00
Spiked Amount	50.000	Range	65 - 120	Recovery	=	98.10%
64) 1,2-Dichlorobenzene-d4	11.86	152	242352	50.25	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	100.50%

Target Compounds	Ovalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA U\DATA\VU022719\
Data File : VU029682.D
Acq On : 26 Feb 2019 15:23
Operator : JC/SP
Sample : K1625-02
Misc : 5.0mL/MSVOA U/WATER
ALS Vial : 5 Sample Multiplier: 1

Quant Time: Feb 27 02:53:11 2019
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM021519WMA.M
Quant Title : VOC Analysis
QLast Update : Wed Feb 27 01:53:00 2019
Response via : Initial Calibration

